



## TECHNIC 20000TE AVR C

PORTABLE POWER

Generating Sets Range TECHNIC

### PRODUCT ADVANTAGES

- Entire group guaranteed 3 years
- KOHLER air-cooled industrial engine
- AVR : Automatic tension regulation
- Electric starter with batteries without maintenance
- Large Autonomy

The Mics MODYS control panel displays overspeed, starting failure, oil pressure, battery and temperature AVR By regulating the voltage electronically by  $\pm 2\%$ , depending on the model, the AVR eliminates all risk of damage to boilers or certain kinds of electronic equipment.

### Range TECHNIC

A long run time equipment that can withstand extreme conditions, for daily professional use.



# TECHNIC 20000TE AVR C

## GENERAL SPECIFICATIONS

Range	TECHNIC
Frequency (Hz)	50
Max power LTP (kW) *	15.20
Max power LTP (kVA)	19
Nominal voltage (V)	400
Number of Phase	Three phase
Fuel	Petrol
Tank (L)	35
75% cons. (l/h) *	5.60
75% Autonomy (h) *	6.30
Sound power level guaranteed LwA dB(A)	104
Acoustic pressure level @1m in dB(A)	88
Acoustic pressure level @7m in dB(A)	74

## ENGINE SPECIFICATIONS

Engine model	KOHLER
Engine ref.	CH940
Distribution	O.H.V.
Start	Electrical
Oil Guard	Oui
Capacity (cm3)	999
Oil capacity (L)	2.75

## ALTERNATOR SPECIFICATIONS

Technology	Without collar or brush
AVR Regulation	Yes
Indication of protection	IP 23
Insulation class	H

## PLUGS AND PANEL DESCRIPTIVE

1 230V 10/16A socket - circuit breaker + 2 400V 16A sockets - circuit breaker + 1 400V 32A socket - circuit breaker + hour meter + indicator + MICS MODYS

## DIMENSIONS AND WEIGHT

Length (cm)	94.50
Width (cm)	57
Height (cm)	90
Dry Weight (kgs)	188

## PACKAGING

Packaging type	Box / Pallet
Length (cm)	96
Width (cm)	58.50
Height (cm)	105
Weight (kg)	201
Pallet type	
Number of box by pallet	0
Pallet height (cm)	0
weight of the packaged Pallet (kg)	0



TECHNIC 20000TE AVR C - PORTABLE POWER - Generating Sets TECHNIC

This document is not contractual - The SDMO company reserves the right to modify any of the characteristics stated in this document without notice, in a constant effort to improve the quality of its products. \*ISO 8528.

SDMO Industries - 12bis, rue de la Villeneuve - CS 92848 - 29228 BREST CEDEX 2 - France - Tel +33(0)2 98 41 41 41 - Fax +33 (0)2 98 41 63 07 - www.sdmo.com

## ACCESSORIES SUPPLIED



Funnel
Battery without maintenance



User and maintenance manual
Hour meter

## OPTIONS



<b>R03B</b>	<b>Diferential protection</b>	This set includes a differential switch, a hour meter, the plugs and a thermal circuit breaker.
-------------	-------------------------------	---



<b>RSTART</b>	<b>Wireless remote</b>	Remote control in order to start or stop the generating set until a distance of 50 meters (needs the installation of a MODYS control panel)
---------------	------------------------	---



<b>VERS05</b>	<b>Automatic start panel</b>	Switches over automatically if the mains fails, 40A or 100A 1P or if the mains fails, 25A or 40A 3P (needs the installation of a MODYS control panel). Includes the battery charger.
---------------	------------------------------	--



<b>RKB2</b>	<b>Trolley kit</b>	Trolley kit for the generating sets superior to 6kW
-------------	--------------------	---



<b>RPM</b>	<b>Set of male plugs</b>	Male plugs for all models made up of : 2 x 16 A/230 V, EEC17: 1 x 16A/230 V, 1 x 32A/230 V and 1 x 16A/400V
------------	--------------------------	---



<b>RPQ</b>	<b>Earth spike</b>	For earthing your generator set. Galvanised 1 m long spike, supplied with 2 m of 10 mm <sup>2</sup> cable.
------------	--------------------	--

## **ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:**

[storgom.ua](http://storgom.ua)

## **ГРАФИК РАБОТЫ:**

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

## **КОНТАКТЫ:**

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара:

<https://storgom.ua/product/benzinovyj-generator-sdmo-technic-20000-te-avr-c.html>

Другие товары: <https://storgom.ua/benzinovyje-generatory.html>