

# HECHT®

made for garden



# 2017

Spring



# EXTENSION CORDS, CYLINDER LAWN MOWERS

**120153**



⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**130153**



⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**121153**



260 x 315 x 185 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**131153**



260 x 220 x 320 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup> **CE**

**420153**



285 x 355 x 200 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup>

**430153**



280 x 230 x 360 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm<sup>2</sup>

**HECHT 50437**

Children mower with sound



**WITH SOUND WHILE MOVING**



6 PCS

⚖ weight 0,9 kg ↔ dimensions 50 x 27,5 x 52 cm

www.hecht.cz

**HECHT 5030**



530 x 380 x 270 mm

👉 manual pushed

👉 working width 30 cm

⚖ weight 7,8 kg

👉 height adjustment 10–36 mm

👉 steel chassis

👉 collecting box 15 l

**PUSHED**

**HECHT 504**



560 x 320 x 220 mm

👉 manual pushed

👉 working width 40 cm

⚖ weight 8,8 kg

👉 height adjustment 17–43 mm

👉 steel chassis

👉 collecting box 15 l

**PUSHED**

# CYLINDER AND ELECTRIC LAWN MOWERS

## HECHT 514 PROFI

Contactless cutting cylinder  
Blade thickness 3 mm



650 x 580 x 275 mm

PUSHED

	manual pushed		height adjustment	24–75 mm
	working width		steel chassis	contactless
	weight		collecting box	50 l

## HECHT 1000

Powerful high torque  
electric motor  
“TURBO motor“



570 x 380 x 305 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–55 mm
	power input	1000 W		plastic chassis	
	working width	32 cm		collecting box	35 l
	weight	8,8 kg		wheels (front/rear)	5/5"

## HECHT 1233

Powerful high torque  
electric motor  
“TURBO motor“



600 x 375 x 275 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	20–60 mm
	power input	1200 W		plastic chassis	
	working width	33 cm		collecting box	30 l
	weight	7,1 kg		wheels (front/rear)	5,5/5,5"

## HECHT 1434

Powerful high torque  
electric motor  
“TURBO motor“



655 x 400 x 325 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1400 W		plastic chassis	
	working width	34 cm		collecting box	35 l
	weight	12 kg		wheels (front/rear)	5,5/6"
	central adjustment of cutting height				

## HECHT 1638 R

Powerful high torque  
electric motor  
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1600 W		plastic chassis	
	working width	38 cm		collecting box	45 l
	weight	13 kg		wheels (front/rear)	5,5/7"
	central adjustment of cutting height				

## HECHT 1844

Powerful high torque  
electric motor  
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–85 mm
	power input	1800 W		plastic chassis	
	working width	42 cm		collecting box	50 l
	weight	15,5 kg		wheels (front/rear)	6/8"
	central adjustment of cutting height				

# ELECTRIC LAWN MOWERS

## HECHT 1640



660 x 510 x 330 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1600 W	🔪	steel chassis	
📏	working width	40 cm	🗑️	collecting box	45 l
👤	weight	20 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	6/8"

## HECHT 1641

Mulching kit included

Powerful high torque electric motor "TURBO motor"



780 x 530 x 370 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1600 W	🔪	steel chassis	
📏	working width	41 cm	🗑️	collecting box	50 l
👤	weight	21,3 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	7/8"

## HECHT 1845

Mulching kit included

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	23,8 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

## HECHT 1846

4 in 1



860 x 570 x 425 mm

alternative side ejection

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	28,5 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

## HECHT 1803 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

alternative side ejection

CE SELF PROPELLED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	26,4 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

## HECHT 1805 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 475 mm

alternative side ejection

CE SELF PROPELLED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	31,2 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"












# ACCU AND PETROL LAWN MOWERS



**Li-ion** **HECHT 5035**  
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

735 x 405 x 370 mm CE PUSHED










	accu Li-Ion	DC 40 V		height adjustment	25–75 mm
	Li-Ion	2,5 Ah		plastic chassis	
	working width	35 cm		collecting box	35 l
	weight	17,5 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9"			



**Li-ion** **HECHT 5038**  
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

790 x 455 x 370 mm CE PUSHED

	accu Li-Ion	DC 40 V		height adjustment	25–75 mm
	Li-Ion	4 Ah		plastic chassis	
	working width	38 cm		collecting box	40 l
	weight	16,4 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9"			



-  CZ
-  SK
-  PL
-  GB





**Li-ion** **HECHT 3639**  
Battery 003639A  
Charging time 2 h



Battery and charger included

800 x 450 x 370 mm CE PUSHED

	accu Li-Ion	DC 36 V		height adjustment	25–75 mm
	Li-Ion	4 Ah		plastic chassis	
	working width	37 cm		collecting box	43 l
	weight	16,5 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9,5"			











**Li-ion** **HECHT 5046**  
Mulching kit included  
Battery and charger included



-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

845 x 570 x 430 mm CE SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	26 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	



**Li-ion** **HECHT 5051**  
Mulching kit included  
Battery and charger included



-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

910 x 570 x 430 mm CE SELF PROPELLED










	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	51 cm		collecting box	60 l
	weight	27,7 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	



**HECHT 5406**

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

710 x 460 x 380 mm CE PUSHED

	engine HECHT	OHV		height adjustment	25–55 mm
	displacement	99 cm <sup>3</sup>		max.torque	4,7 Nm
	working width	41 cm		steel chassis	
	weight	17,4 kg		collecting box	45 l
	wheels (front/rear)	6/6"			

# PETROL LAWN MOWERS

## HECHT 540

**STEEL CHASSIS**



710 x 460 x 380 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-55 mm
	displacement	99 cm <sup>3</sup>		max.torque	4,7 Nm
	working width	41 cm		steel chassis	
	weight	23,5 kg		collecting box	45 l
	wheels (front/rear)	7/7"			

## HECHT 540 B



670 x 520 410 mm

CE PUSHED

	engine B&S	Series 450 E		height adjustment	25-55 mm
	displacement	125 cm <sup>3</sup>		max.torque	5,6 Nm
	working width	41 cm		steel chassis	
	weight	20,5 kg		collecting box	45 l
	wheels (front/rear)	7/7"			

## HECHT 543

## HECHT 546



765 x 515 x 460 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-60 mm
	displacement	98 cm <sup>3</sup>		max.torque	4,7 Nm
	working width	43 cm		steel chassis	
	collecting box	45 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"



775 x 560 x 500 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	139 cm <sup>3</sup>		max.torque	7,5 Nm
	working width	46 cm		steel chassis	
	collecting box	65 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

## HECHT 541 SW

*Speed about 3,45 km/h*



670 x 520 x 410 mm

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	99 cm <sup>3</sup>		max.torque	5,5 Nm
	working width	41 cm		steel chassis	
	weight	24 kg		collecting box	45 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/8"			

## HECHT 541 BSW

*Speed about 3,45 km/h*



670 x 520 x 410 mm

CE SELF PROPELLED

	engine B&S	Series 450 E		height adjustment	25-70 mm
	displacement	125 cm <sup>3</sup>		max.torque	6,1 Nm
	working width	41 cm		steel chassis	
	weight	24 kg		collecting box	45 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/8"			

# PETROL LAWN MOWERS

## HECHT 543 SX

Speed about 3 km/h



765 x 515 x 460 mm

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-65 mm
	displacement	98 cm <sup>3</sup>		max.torque	4,7 Nm
	working width	43 cm		steel chassis	
	collecting box	45 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

## HECHT 543 SW

5 in 1

Speed 3,6 km/h



810 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm <sup>3</sup>		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

## HECHT 543 SWE

5 in 1

Speed 3,6 km/h  
Electric starter



880 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm <sup>3</sup>		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

## HECHT 546 SX

Speed about 3 km/h



MODEL 2016



785 x 570 x 500 mm

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-65 mm
	displacement	135 cm <sup>3</sup>		max.torque	6,8 Nm
	working width	46 cm		steel chassis	
	weight	32 kg		collecting box	55 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/10"			

## HECHT 547 SXW

5 in 1

Mulching kit included  
Speed about 3,6 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	139 cm <sup>3</sup>		max.torque	7,5 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	32 kg		collecting box	65 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/10"			

## HECHT 546 BSW

5 in 1

Speed 3,35 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine B&S	Series 500 E		height adjustment	25-70 mm
	displacement	140 cm <sup>3</sup>		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	collecting box	65 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



860 x 570 x 510 mm

**alternative side ejection**



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm <sup>3</sup>		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	35,6 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 548 SW 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



860 x 570 x 510 mm

**alternative side ejection**



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm <sup>3</sup>		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 5484 SX 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



860 x 570 x 510 mm

**alternative side ejection**



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm <sup>3</sup>		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	39 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

## HECHT 548 SWE 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



860 x 570 x 510 mm

**alternative side ejection**



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm <sup>3</sup>		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

## HECHT 5484 SXE 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**  
**Electric starter**

www.hecht.cz



**PATENTED WHEELS DESIGN**



860 x 475 x 570 mm

**alternative side ejection**



	engine B&S	Series 500 E		height adjustment	25–75 mm
	displacement	140 cm <sup>3</sup>		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	31,2 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 549 SB 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



860 x 475 x 570 mm

**alternative side ejection**



	engine B&S	Series 500E		height adjustment	25–75 mm
	displacement	140 cm <sup>3</sup>		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	31,2 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 5494 SB 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**





# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



830 x 570 x 460 mm

**alternative side ejection**



**SELF PROPELLED**

	engine HECHT	OHV		height adjustment	25–65 mm
	displacement	173 cm <sup>3</sup>		max.torque	9,5 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	36,5 kg		collecting box	55 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7,5/10,5"			

## HECHT 551 SX 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



**SELF PROPELLED**

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 553 SW 5 in 1

**Mulching kit included**  
**Speed 3,6 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



**SELF PROPELLED**

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 5534 SX 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**EASY**  
ELECTRIC START  
- JUST TURN THE KEY -



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

**alternative side ejection**



**SELF PROPELLED**

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

## HECHT 5534 SWE 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**  
**Electric starter**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

**alternative side ejection**



**SELF PROPELLED**

	engine B&S	Series 625E		height adjustment	25–75 mm
	displacement	150 cm <sup>3</sup>		max.torque	8,5 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	33,4 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 551 BS 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



**PATENTED WHEELS DESIGN**



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

**alternative side ejection**



**SELF PROPELLED**

	engine B&S	Series 675iS		height adjustment	25–75 mm
	displacement	163 cm <sup>3</sup>		max.torque	9 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	33,8 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

## HECHT 5534 INSTART 5 in 1

**Mulching kit included**  
**4 speed: 3-4,5 km/h**



# PETROL LAWN MOWERS

## HECHT 553 BSA 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



905 x 570 x 460 mm  
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675 EXi	height adjustment	25-75 mm
displacement	163 cm <sup>3</sup>	max.torque	9,85 Nm
working width	51 cm	aluminium chassis	5 in 1
weight	37 kg	collecting box	60 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

## HECHT 5564 5X 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 515 mm  
alternative side ejection **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	25-75 mm
displacement	173 cm <sup>3</sup>	max.torque	10 Nm
working width	56 cm	steel chassis	5 in 1
weight	42,8 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

## HECHT 5564 5XE 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h  
Electric starter



960 x 650 x 515 mm  
alternative side ejection **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	25-75 mm
displacement	173 cm <sup>3</sup>	max.torque	10 Nm
working width	56 cm	steel chassis	5 in 1
weight	42,8 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
battery 12 V DC, 4,5 Ah		wheels (front/rear)	8/11"

## HECHT 556 B5 5 in 1

Mulching kit included  
Speed 3,6 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm  
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675	height adjustment	25-75 mm
displacement	190 cm <sup>3</sup>	max.torque	8,8 Nm
working width	56 cm	steel chassis	5 in 1
weight	38,5 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

## HECHT 5564 B5 5 in 1

Mulching kit included  
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm  
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675	height adjustment	25-75 mm
displacement	190 cm <sup>3</sup>	max.torque	8,8 Nm
working width	56 cm	steel chassis	5 in 1
weight	38,5 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

## HECHT 587 Speed about 3 km/h

**000587**  
Optional accessory set  
Ploughshare + Chains



1050 x 540 x 600 mm **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	15-90 mm
displacement	173 cm <sup>3</sup>	steel chassis	
working width	87 cm	ball bearings	
weight	57 kg	wheels	13x3,5-6"

# PETROL LAWN MOWERS

**HECHT 1863 S**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,6 km/h*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

860 x 570 x 475 mm

**alternative side ejection** **SELF PROPELLED**

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🌿	steel chassis	
🛞	working width	46 cm	🗑️	collecting box	60 l
🏋️	weight	33 kg	⚙️	ball bearings	
🛞	wheels (front/rear)	8/11"			

**HECHT 5433 SW**  
**5 in 1**  
*Mulching kit included*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

810 x 530 x 430 mm

**alternative side ejection** **SELF PROPELLED**

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	98,5 cm³	🏋️	max.torque	5,1 Nm
🛞	working width	43 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	50 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

**HECHT 5483 SW**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,3 km/h*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

850 x 570 x 480 mm

**alternative side ejection** **SELF PROPELLED**

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

**HECHT 5483 SWE**  
**5 in 1**  
*Mulching kit included*  
*Speed 3,3 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

850 x 570 x 480 mm

**alternative side ejection** **SELF PROPELLED**

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

**HECHT 5483 SXE**  
**5 in 1**  
*Mulching kit included*  
*4 speed: 3-4,5 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

900 x 570 x 500 mm

**alternative side ejection** **SELF PROPELLED**

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

**HECHT 5543 SXE**  
*Mulching kit included*  
*4 speed: 3-4,5 km/h*  
*Electric starter*



**PATENTED WHEELS DESIGN**

CZ SK PL GB DE HU

900 x 570 x 500 mm

**alternative side ejection** **SELF PROPELLED**

**EASY ELECTRIC START**  
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	173 cm³	🏋️	max.torque	10 Nm
🛞	working width	51 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

# PETROL LAWN MOWERS



**PATENTED WHEELS DESIGN**



840 x 570 x 500 mm

**alternative side ejection**

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	39,2 kg
	wheels (front/rear)	8/11"			

## HECHT 5533 SW 5 in 1

**Mulching kit included**  
**Speed 3,3 km/h**



**PATENTED WHEELS DESIGN**



900 x 570 x 490 mm

**alternative side ejection**

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	43,3 kg
	wheels (front/rear)	8/11"			

## HECHT 5533 SWE 5 in 1

**Mulching kit included**  
**Speed 3,3 km/h**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST PRESS THE BUTTON -

www.hecht.cz



**PATENTED WHEELS DESIGN**



840 x 570 x 500 mm

**alternative side ejection**

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	56 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	43 kg
	wheels (front/rear)	8/11"			

## HECHT 5563 SX 5 in 1

**Mulching kit included**



**PATENTED WHEELS DESIGN**



900 x 570 x 490 mm

**alternative side ejection**

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm <sup>3</sup>		max.torque	10 Nm
	working width	56 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	46 kg
	wheels (front/rear)	8/11"			

## HECHT 5563 SXE 5 in 1

**Mulching kit included**  
**Electric starter**



**EASY**  
ELECTRIC START  
- JUST PRESS THE BUTTON -

**FOR BETTER COLLECTING OF WET GRASS**

## HECHT 500046

**Special lawn mower „TURBO“ blade**

**FOR MODELS:**

HECHT 548 SW, 5484 SX, 548 SWE, 5484 SXE

**46 cm**



**FOR BETTER COLLECTING OF WET GRASS**

## HECHT 500051

**Special lawn mower „TURBO“ blade**

**FOR MODELS:**

HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

**51 cm**



## HECHT 5060 EU speed 3 km/h



**MADE IN CZECH REPUBLIC**



1050 x 540 x 600 mm

CE SELF PROPELLED

	engine HECHT	OHV		height	35 mm
	displacement	173 cm <sup>3</sup>		steel chassis	
	working width	60 cm		ball bearings	
	weight	50 kg		wheels	16x3,5-8"



# RIDERS, LAWN TRACTORS

## HECHT 5161

**Speed:**  
**Forward**  
 1,5–4,6 km/h  
**Reverse**  
 2,3 km/h



1480x780x730 mm

CE SELF PROPELLED

	engine	HECHT		height adjustment	35–75 mm
	displacement	196 cm <sup>3</sup>		recommended area	1500–2000 m <sup>2</sup>
	working width	61 cm		steel chassis	
	weight	115 kg		collecting box	150 l
	central adjustment of cutting height			ball bearings	

## HECHT 5162

**Speed:**  
**Forward**  
 1,5–4,5 km/h  
**Reverse**  
 1,5 km/h



1550 x 780 x 1030 mm

CE SELF PROPELLED

	engine B&S	Series 850		height adjustment	30–90 mm
	displacement	190 cm <sup>3</sup>		recommended area	2000–2500 m <sup>2</sup>
	working width	62 cm		steel chassis	
	weight	125 kg		collecting box	130 l
	central adjustment of cutting height			ball bearings	



steel structure

**Side ejection only**

## HECHT 5114

**Speed:**  
**Forward**  
 max. 8,3 km/h  
**Reverse**  
 2,5 km/h

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	30–90 mm
	displacement	452 cm <sup>3</sup> 1 cylinder		recommended area	3000–4000 m <sup>2</sup>
	working width	98 cm		steel chassis	
	weight	165 kg		ball bearings	
	central adjustment of cutting height				



2590 x 1080 x 1080 mm (steel structure)

## HECHT 5176

**Speed:**  
**Forward**  
 max. 8,8 km/h  
**Reverse**  
 3,8 km/h



CE HYDROSTATIC SELF PROPELLED

	engine B&S	INTEK OHV		height adjustment	30–90 mm
	displacement	501 cm <sup>3</sup> 1 cylinder		recommended area	3000–4000 m <sup>2</sup>
	working width	102 cm		steel chassis	
	weight	220 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	

# ROLLER, SERVICE SET, ACCESSORIES

## HECHT 5

Service sets for pumping out engine oil or petrol. Suitable for all types of lawn mower engines and lawn tractors.



167 x 155 x 210 mm

	manual
	tank volume 1,5 l

## HECHT 501



580 x 350 x 390 mm

	working width	50 cm		weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

## HECHT 4T

Recommended oil for 4-stroke engines  
Min. order 6 pcs



## HECHT 2T

Recommended oil for 2-stroke engines  
Min. order 6 pcs



## HECHT CHAINOIL 4L

Special oil for greasing bars  
Min. order 3 pcs



## GREASE GX

Plastic lubricant for angle drives  
Min. order 48 pcs



## HECHT 5W-40

Recommended oil for 4-stroke engines - suitable for all year use  
Min. order 6 pcs



## HECHT CHAINOIL

Special oil for greasing bars  
Min. order 6 pcs



## HECHT HC22


Special hydraulic oil 4 l  
Min. order 3 pcs



## PLASTIC CAN 5 l

No. K00050




	tank volume	5 l
--	-------------	-----



## PLASTIC CAN 20 l

No. K00200




	tank volume	20 l
---	-------------	------



## PLASTIC CAN 10 l

No. K00100




	tank volume	10 l
--	-------------	------



## PLASTIC CAN KOMBI

No. K00085




	tank volume	6 l + 2,5 l
---	-------------	-------------



# ELECTRIC AND ACCU LAWN AERATORS

## HECHT 1420 2 in 1



525 x 425 x 308 mm



	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		plastic chassis	
	working width	32 cm		roller with metal wires	
	weight	8,5		16 metal knives	

## HECHT 1521 2 in 1




560 x 415 x 325 mm



	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		recommended area	1000 m <sup>2</sup>
	working width	32 cm		plastic chassis	
	weight	10 kg		roller with metal wires	
	16 metal knives			variable adjustment -9 to 3 mm	

## HECHT 1538 2 in 1




560 x 540 x 370 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1500 W		recommended area	1100 m <sup>2</sup>
	working width	38 cm		plastic chassis	
	weight	15		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

## HECHT 1738 2 in 1




560 x 540 x 370 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		recommended area	1200 m <sup>2</sup>
	working width	38 cm		plastic chassis	
	weight	15 kg		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

## HECHT 1821 2 in 1

Available  
from 3/17



680 x 520 x 300 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1800 W		recommended area	1200 m <sup>2</sup>
	working width	36 cm		plastic chassis	
	weight	13		roller with metal wires	
	18 metal knives			variable adjustment -12 to 10 mm	

## HECHT 1384



660 x 480 x 340 mm



	accu Li-ion	DC 40 V		collecting box	45 l
	working width	38 cm		working time	48 min
	weight	14,5		plastic chassis	
	without battery and charger				

# ELECTRIC AND PETROL LAWN AERATORS

## HECHT 1739



620 x 570 x 360 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		recommended area	1200 m <sup>2</sup>
	working width	37 cm		plastic chassis	
	weight	22		variable adjustment	-8 to 12 mm
	26 metal knives				

## HECHT 5654



670 x 580 x 540 mm



	engine	HECHT		collecting box	40 l
	displacement	87 cm <sup>3</sup>		recommended area	1400 m <sup>2</sup>
	working width	38 cm		steel chassis	
	weight	26,5 kg		variable adjustment	-12 to +10 mm
	18 metal knives				

## HECHT 5642



670 x 580 x 540 mm



	engine	HECHT		collecting box	45 l
	displacement	163 cm <sup>3</sup>		recommended area	1600 m <sup>2</sup>
	working width	42 cm		steel chassis	
	weight	44 kg		variable adjustment	-12 to 0 mm
	17 metal knives				

## HECHT 5675



670 x 580 x 540 mm



	engine	B&S 750		collecting box	45 l
	displacement	163 cm <sup>3</sup>		recommended area	1600 m <sup>2</sup>
	working width	42cm		steel chassis	
	weight	38 kg		variable adjustment	-12 to 0 mm
	17 metal knives				

## HECHT S 390 H



Original engine  
**HONDA**



630 x 860 x 630 mm



	engine HONDA	GC 135		collecting box	45 l
	displacement	135 cm <sup>3</sup>		recommended area	1600 m <sup>2</sup>
	working width	38 cm		steel chassis	
	weight	30 kg		variable adjustment	-10 to 0 mm
	16 metal knives			max.torque	10,3 Nm

## HECHT S 500 H



Original engine  
**HONDA**



670 x 580 x 540 mm



	engine HONDA	GP 160		collecting box	110 l
	displacement	160 cm <sup>3</sup>		recommended area	3 000 m <sup>2</sup>
	working width	49 cm		steel chassis	
	weight	49 kg		variable adjustment	-15 to 0 mm
	19 metal knives				



# ELECTRIC AND PETROL TILLERS

## HECHT 730



345 x 285 x 480 mm



⚡	electric	230 V/50 Hz	📏	working width	32 cm
🔌	power input	750 W	⚖️	weight	8 kg
	4 knives				

## HECHT 738



600 x 430 x 275 mm



⚡	electric	230 V/50 Hz	📏	working width	36,5 cm
🔌	power input	1000 W	⚖️	weight	7,7 kg
	4 knives				

## HECHT 739



382 x 288 x 502 mm



⚡	electric	230 V/50 Hz	📏	working width	36 cm
🔌	power input	1050 W	⚖️	weight	9,8 kg
	4 knives				

## HECHT 745



412 x 365 x 560 mm



⚡	electric	230 V/50 Hz	📏	working width	40 cm
🔌	power input	1500 W	⚖️	weight	11,6 kg
	6 knives				

## HECHT 743



560 x 330 x 530 mm



🔧	engine HECHT	2-stroke	📏	working width	23,5 cm
📏	displacement	43 cm <sup>3</sup>	⚖️	weight	21,4 kg
	4 knives				

## HECHT 761 R



705 x 670 x 390 mm



🔧	engine HECHT	OHV, 4-stroke	📏	working width	36 cm
📏	displacement	139 cm <sup>3</sup>	⚖️	weight	34 kg
	4 knives Ø 26 cm			1 speed	

# PETROL TILLERS, ACCESSORIES

## HECHT 746 R

## HECHT 747 SB



Available from 3/17



707 x 668 x 381 mm



	engine HECHT	OHV, 4-stroke		working width	36/60 cm
	displacement	139 cm <sup>3</sup>		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		



700 x 380 x 660 mm



	engine B&S	Series 500 E		working width	36/60 cm
	displacement	140 cm <sup>3</sup>		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		

## ACCESSORIES FOR HECHT 750

## HECHT 750

### HECHT 000750

Iron wheel set  
- 2 pcs.  
- for use with  
ridger



### HECHT 000751

Ridger



1100 x 498 x 460 mm



	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm <sup>3</sup>		weight	68 kg
	Ø 34 cm		1 speed		



## ACCESSORIES FOR HECHT 785, HECHT 790, HECHT 795, HECHT 790 BS

### HECHT 8001001

Rear bracket  
for mounting  
accessories



### HECHT 8001016

Single side  
Ridge plough



### HECHT 8001020

Potato digger



### HECHT 8001015

Double side  
Ridge plough



### HECHT 8001017

Wheel 8 inch  
- 2 pcs




### HECHT 8001004

Iron wheel set - 2 pcs  
- for use with  
plough or digger



### HECHT 8001021

Set of distance tubes  
(2 pcs) for shaft extension  
outer edge of wheels 65 - 85 cm



# PETROL TILLERS, ACCESSORIES

## HECHT 785

## HECHT 790



580 x 405 x 740 mm



	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm <sup>3</sup>		weight	52 kg
	2/4/6 knives Ø 38 cm		1 speed		




600 x 420 x 740 mm



	engine HECHT	OHV		working width	32/50/84 cm
	displacement	196 cm <sup>3</sup>		weight	54 kg
	2/4/6 knives Ø 38 cm		1 speed		

## HECHT 795

## HECHT 790 BS



740 x 660 x 400



	engine HECHT	OHV		working width	32/50/84 cm
	displacement	196 cm <sup>3</sup>		weight	56 kg
	2/4/6 knives Ø 38 cm		2 speed forward, 1 reverse		



600 x 420 x 740 mm



	engine B&S	CR 950		working width	32/50/8 cm
	displacement	196 cm <sup>3</sup>		weight	55 kg
	2/4/6 knives Ø 38 cm		1 speed		

# PETROL TILLER AND ACCESSORIES

**HECHT  
000721**  
Plough



**HECHT  
000720**  
Wheels 8"



**HECHT 7970**

Available  
from 5/17



890 x 460 x 660 mm

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm <sup>3</sup>		weight	78 kg
8 knives			2 speed, 1 reverse		

Trailer HECHT 57100  
also available  
(not included)



## ACCESSORIES FOR HECHT 7100

**HECHT  
007116**  
Single side  
plough



**HECHT  
007115**  
Adjustable  
digger



**HECHT  
007120**  
Potato  
digger



**HECHT 007125**  
Double side plough 20-25 cm,  
working depth cca 10 cm



**HECHT 007112**  
Wheel 12 inch with slipping  
pinion  
- 2 pcs  
- for use with trailer only  
(not designed for digging  
etc.)



**HECHT 007131**  
Three line seeder  
working width cca 47 cm,  
capacity cca 10 kg



**HECHT  
007104**  
Iron wheel set  
- 2 pcs  
- for use with plough  
or digger



**HECHT  
007101**  
Weights for wheels  
- 2 pcs (2x 12 kg)



**HECHT  
007128**  
LED light (3x AAA)



Batteries not included

# PETROL TILLER, ACCESSORIES

## HECHT 7100



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	4.0-8 Iron wheels (km/h)	10.06	7.65	2.59	2.59
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52



780 x 410 x 780 mm



	engine HECHT	OHV, 4-stroke		working width	81/104 cm
	displacement	208 cm <sup>3</sup>		weight	72 kg
	6 knives			3 speed forward, 1 reverse	

## HECHT 57101

Drawbar



350 x 105 x 80 mm



1310 x 470 x 350 mm

## HECHT 57100

Trailer for HECHT 7100



	dimensions	134 x 92 x 34 cm		wheels	500 x 12"
	weight	46,3 kg		max. load	300 kg net. / 500 kg including operator

Slipping pinion on wheels for better turning



HECHT 7100 + 57100 + 57101 + 007112 + 007101

# TRAILERS, FERTILIZER

## HECHT 52145

Suitable for:  
HECHT 5114  
HECHT 5116  
HECHT 5176  
HECHT 5639  
HECHT 5938  
HECHT 5922  
and most garden tractors

**TILTING**



Possible to use as trailer for lawn tractor



950 x 520 x 220 mm

body dimensions	94 x 52 x 21 cm / 75 l	wheels	10" x 350-4
weight	15,5 kg	max. load	250 kg

## HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.



Suitable for lawn tractors



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

manual pushed	max capacity	60 l
---------------	--------------	------

## HECHT 52184

Suitable for:  
HECHT 5114  
HECHT 5116  
HECHT 5176  
HECHT 5639  
HECHT 5938  
HECHT 5922  
and most garden tractors

**215 L**



Possible to use as trailer for lawn tractor



1050 x 550 x 180 mm

body dimensions	101 x 52 x 41 cm / 215 l	wheels	10" x 350-4
weight	27,6 kg	max. load	300 kg

## HECHT 50005

**FOLDING**



660 x 235 x 860 mm

body dimensions open	131 x 60 x 108,5 cm	weight	13,5 kg
body dimensions folded	22,5 x 60 x 80 cm	steel chassis	

## HECHT 53038

Suitable for:  
HECHT 5114, HECHT 5116,  
HECHT 5176, HECHT 5639,  
HECHT 5938, HECHT 5922  
and most garden tractors

Available from 4/17

Suitable for:  
HECHT 5114, HECHT 5116,  
HECHT 5176, HECHT 5639,  
HECHT 5938, HECHT 5922  
and most garden tractors

Available from 4/17



body dimensions	123 x 77 x 62,5 cm	wheels	3.50-8
weight	21,4 kg	max. load	200 kg



body dimensions	150 x 93,5 x 74,5 cm	wheels	480/400-8
weight	37,3 kg	max. load	300 kg

# ELECTRIC AND PETROL HEDGE TRIMMERS

## HECHT 606



CE

900 x 145 x 175 mm

	electric	230 V /50 Hz		bar length	50 cm
	power input	520 W		weight	1,9 kg
	max. cutting diameter	20 mm			

## HECHT 655



CE

1000 x 205 x 180 mm

	electric	230 V /50 Hz		bar length	62 cm
	power input	600 W		weight	2,7 kg
	max. cutting diameter	20 mm			



Rotary handle



CE

1120 x 200 x 180 mm

	electric	230 V /50 Hz		bar length	68 cm
	power input	600 W		weight	3,1 kg
	max. cutting diameter	24 mm			

## HECHT 610

GARDEN



Rotary handle

## HECHT 611

with collecting bar



Laser cut blade



CE

1120 x 200 x 213 mm

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		weight	4 kg
	max. cutting diameter	24 mm			



Rotary handle

## HECHT 9246



CE

1110 x 260 x 240 mm

	engine volume	24,5 cm <sup>3</sup>		bar length	70 cm
	power output	1 HP		weight	5,8 kg
	max. cutting diameter	22 mm			



Rotary handle

## HECHT 9275 PROFI

otočná rukojeť



CE

1290 x 260 x 250 mm

	engine volume	22,2 cm <sup>3</sup>		bar length	75 cm
	power output	1 HP		weight	5,4 kg
	max. cutting diameter	28 mm			

## HECHT 9375 PROFI



72 cm bar



CE

1290 x 260 x 250 mm

	engine volume	22,2 cm <sup>3</sup>		bar length	72 cm
	power output	0,9 HP		weight	5,3 kg
	max. cutting diameter	20 mm			

# HEDGE TRIMMERS

## HECHT 640

## HECHT 675



CE

1275 x 195 x 166 mm

CE

1150 x 165 x 205 mm

	electric	230 V/50 Hz		bar length	40,5 cm
	power input	450 W		weight	4,2 kg
	max. cutting diameter	16 mm		length	2,16 - 2,87 m


	electric	230 V/50 Hz		bar length	51 cm
	power input	750 W		weight	5 kg
	max. cutting diameter	28 mm		length	2,35 - 2,8 m

www.hecht.cz

## HECHT 6504



## HECHT 695



CE

1220 x 210 x 140 mm

CE

1067 x 187 x 105 mm

	Accu Li-ion	DC 40 V		bar length	50 cm
	max. cutting diameter	20 mm		weight	4,5 kg
	without battery and charger			length	1,9 - 2,4 m

	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		length	2,64 m



# PRUNNING SAWS

## HECHT 9504



CE

	Accu Li-ion	DC 40 V		bar length	20 cm
	length	2,3–2,8 m		weight	4,4 kg
without battery and charger					

## HECHT 971 W



CE

	1360 x 165 x 110 mm
	electric 230 V/50 Hz
	bar length 30 cm
	power input 750 W
	weight 3,2 kg
	length 2–2,8 m

## HECHT 975 W



CE

	1730 x 145 x 80 mm
	electric 230 V/50 Hz
	bar length 24 cm
	power input 750 W
	weight 3,1 kg
	length 1,9–2,85 m

## HECHT 9260



GARDEN

## HECHT 976 W



CE

	1730 x 160 x 100 mm
	electric 230 V/50 Hz
	bar length 24 cm
	power input 750 W
	weight 3,1 kg
	length 1,83–2,69 m

## HECHT 690 3in1



CE

	1062 x 255 x 100 mm
	electric 230 V/50 Hz
	bar length - saw 23 cm
	power input 900 W
	weight 2,5 kg
	bar length - hedge trimmer 41 cm
	working width - grass trimmer 36 cm



CE

	2550 x 270 x 260 mm
	engine volume 26 cm <sup>3</sup>
	power output 1 HP
	bar length 34 cm
	weight 8,5 kg
	length 2,96–4,27 m

Net weight of chainsaws is without guide bar and saw chain

# PRUNNING SAW, ELECTRIC SAWS

## HECHT 59000

Saw for children with sound, moving chain  
- 3 batteries AA required (not included)



**REALISTIC SOUND  
OF STARTING AND CUTTING**

## HECHT 2035

PROFIL



sprocket  
teeth detail



465 x 230 x 175 mm



CE	electric	230 V/50 Hz	bar length	35 cm
	power input	2000 W	weight	4,2 kg

## HECHT 2250

Soft start – starting capacitor for  
reduction of starting current.

PROFIL



sprocket  
teeth detail



550 x 210 x 250/85 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	5,6 kg

## HECHT 2416 QT

Soft start – starting capacitor for  
reduction of starting current.

PROFIL



**Quick chain  
tension system**

sprocket  
teeth detail



480 x 270 x 270 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	4,7 kg

## HECHT 2439

With Softstart, overload protector,  
tool free system & metal gear

PROFIL



**Quick chain  
tension system**

sprocket  
teeth detail



565 x 200 x 240 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	5 kg

# ACCU CHAINSAW AND PETROL CHAINSAWS



Battery 000936B

## HECHT 936

**BATTERY AND CHARGER INCLUDED**

Charging time cca 100 min

**ACCU SAMSUNG**

Running Time: cca 25 minutes (100x 10 cm soft wood)

480 x 270 x 270 mm

CE	Accu (Li-ion) Samsung	36 V, 2600 mAh		bar length	30,5 cm
	charging time	100 min		weight	5 kg



## HECHT 9940

**ACCU program 5040**

**ACCU SAMSUNG**

**BATTERY AND CHARGER NOT INCLUDED**

445 x 258 x 290 mm

CE	accumulator	Li-ion Samsung		bar length	35 cm
	accu article (V)	DC 40 V, 4 Ah		weight	5,5 kg



hanger for belt

## HECHT 929



325 x 255 x 255 mm

CE	engine volume	25,4 cm <sup>3</sup>		bar length	30 cm
	power output	1,2 HP		weight	2,9 kg



## HECHT 941



425 x 245 x 300 mm

CE	engine volume	40 cm <sup>3</sup>		bar length	35 cm
	power output	1,8 HP		weight	4,7 kg



## HECHT 44



430 x 255 x 300 mm

CE	engine volume	45 cm <sup>3</sup>		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg



## HECHT 44 BOX



455 x 305 x 300 mm

CE	engine volume	45 cm <sup>3</sup>		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg



# PETROL CHAINSAWS, LOG CUTTING STANDS

## HECHT 945

## HECHT 950



Carburetor WALBRO  
Bar + chain OREGON



440 x 250 x 290 mm



	engine volume	45 cm <sup>3</sup>		bar length	39 cm
	power output	2,7 HP		weight	5 kg



Bar + chain OREGON



465 x 265 x 330 mm



	engine volume	49,3 cm <sup>3</sup>		bar length	39 cm
	power output	3 HP		weight	5 kg

## HECHT 956

## HECHT 962



decompressor



Carburetor WALBRO  
Bar + chain OREGON



450 x 275 x 315 mm



	engine volume	56 cm <sup>3</sup>		bar length	39 cm
	power output	3,2 HP		weight	5,1 kg



decompressor



Carburetor WALBRO  
Bar + chain OREGON

2017 model:  
Bar 45 cm



570 x 295 x 340 mm




	engine volume	62 cm <sup>3</sup>		bar length	50 cm
	power output	4 HP		weight	6,3 kg

## HECHT 900

## HECHT 901

Not intended for  
UK, D, FR, IT, A, CH



1015 x 280 x 40 mm

	weight	8 kg
--	--------	------



1210 x 410 x 70 mm

Log Diameter	25–230 mm		weight	10,7 kg
--------------	-----------	--	--------	---------

# ACCESSORIES, CHAIN SHARPENERS

## HECHT 000040


Chainsaw file 4 mm



3 pcs

## HECHT 000048

Chainsaw file 4,8 mm



3 pcs

## HECHT 900051

Chainsaw file 5,5 mm



3 pcs

## HECHT 900050

Chainsaw file 5,5 mm



12 pcs

## HECHT 9

Spare grinding wheels

H928 (3,2 x 100 x 10)

H928A (4,5x100x10)



275 x 160 x 215 mm




	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

## The original chains HECHT for chainsaws

### 25Q100R ROLE

0,325 – 1,5 mm  
1840 links, 30,5 m



### 33E100R ROLE

3/8 micro – 1,3 mm,  
1640 links, 30,5 m

## HECHT 903400

Chain saw sharpening kit

Files 4 mm

## HECHT 903480

Chain saw sharpening kit

Files 4,8 mm

## HECHT 004048

Chain saw sharpening kit

Files 4 mm,  
4,8 mm, 5,5 mm

## HECHT 900401

Timber wedge 5"

## HECHT 900402

Timber wedge 8"

## HECHT 900405

Timber wedge 10"



## HECHT 9230


Spare grinding wheels

9230A0007 (145 x 3,2 x 22,3)

9230B0007 (145 x 4,7 x 22,3)

9230C0007 (145 x 6 x 22,3)

Positionable



370 x 255 x 280 mm

	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm




## HECHT 900406

Carburetor adjuster set



Blistered



## HECHT 002850

Start rope Ø 2,8 mm, 50 m

## HECHT 003450

Start rope Ø 3,4 mm, 50 m

## HECHT 003850

Start rope Ø 3,8 mm, 50 m



Role



## HECHT 900404

Filing stump vise



LASH 228 x 100 mm



## HECHT 000045

Grease gun for chainsaw chains



LASH 248 x 90 mm



# ACCESSORIES

## HECHT 900110

Protection shield



Blistered

## HECHT 900102

Ear protection



200 x 245 x 80 mm / blistered


## HECHT 900507

Safety shoes



STEEL TOE CAP

STEEL PLATE



34,5 x 25 x 13 cm

## HECHT 900107

Protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.  
20 m/s



100 x 77 mm + plastic bag

## HECHT 900108

Winter protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.  
20 m/s



100 x 77 mm + plastic bag

## HECHT 900100

Safety helmet with face shield and ear protection.



310 x 255 x 167 mm

## HECHT 900101

Face shield.



250 x 82 mm – plastic bag with header

## HECHT 900105

Face shield with ear protection.



242 x 240 x 150 mm

## HECHT 900106

Safety goggles



167 x 157 x 45 mm

## HECHT 900106Y

Safety goggles



167 x 157 x 45 mm

## HECHT 900109

Professional protective covers for shins and knees



## HECHT 900120

Professional protective trousers for chainsaws.



Size: M, L, XL, XXL

(EN 381-5)  
Class I.  
20 m/s

405 x 290 x 95 mm

## HECHT 900121

Professional protective trousers for chainsaws.



405 x 290 x 95 mm

## HECHT 900122

Professional protective trousers for chainsaws, special lightweight material.



Size: M, L, XL, XXL

(EN 381-5)  
Class I.  
20 m/s

390 x 320 x 55 mm

## HECHT 900130

Professional work jacket.



Size: M, L, XL, XXL

400 x 295 x 35 mm

## HECHT 900131

Professional work jacket.



400 x 295 x 35 mm

## HECHT 900132

Professional work jacket, special lightweight material.



Size: M, L, XL, XXL

3 cm reflective bands

330 x 330 x 49 mm

# AXES, ACCESSORIES

## HECHT 900600

Universal axe  
Lenght 30 cm, Weight 600 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900680

Universal axe  
Lenght 38 cm, Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901000

Universal axe  
Lenght 40 cm, Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901001

Splitting axe  
Lenght 40 cm  
Weight 1000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901500

Universal axe  
Lenght 55 cm  
Weight 1500 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901201

Splitting axe  
Lenght 55 cm  
Weight 1200 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 901590

Universal axe  
Lenght 55 cm  
Weight 1590 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902000

Splitting axe  
Lenght 63 cm  
Weight 2000 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902170

Splitting axe  
Lenght 40 cm  
Weight 2170 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 902360

Splitting axe  
Lenght 55 cm  
Weight 2360 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900570 **TEFLON COATED BLADE**

Universal axe  
Lenght 35 cm  
Weight 570 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900901 **TEFLON COATED BLADE**

Universal axe  
Lenght 44 cm  
Weight 900 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900950 **TEFLON COATED BLADE**


Siekiera rozłupująca  
Lenght 44 cm  
Weight 950 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 901170 **TEFLON COATED BLADE**

Splitting axe  
Lenght 59 cm  
Weight 1170 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 901550 **TEFLON COATED BLADE**

Splitting axe  
Lenght 70 cm  
Weight 1550 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 902550 **TEFLON COATED BLADE**

Splitting axe  
Lenght 80 cm  
Weight 2550 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**NYLON + FIBERGLASS**

## HECHT 900403

Hook  
for timber



## HECHT 900613

Tree felling  
lever  
Lenght  
120 cm



## HECHT 908500


Splitting axe  
Lenght 85 cm  
Weight 2700 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 903600

Splitting axe  
Lenght 91 cm  
Weight 3600 g\*



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 909100

Lenght  
91 cm



Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**

## HECHT 900080

Tree felling  
lever  
Lenght  
80 cm



# LOG SAWS, LOG SPLITTERS

## HECHT 8220

## HECHT 830



CE					996 x 845 x 300 / 130 mm
⚡	electric	230 V/50 Hz	Ⓜ	max. log diameter	135 mm
⚡	power input	2200 W	👤	weight	35 kg



CE					960 x 750 x 580 / 274 mm
⚡	electric	400 V/50 Hz	Ⓜ	max. log diameter	170 mm
⚡	power input	3000 W	👤	weight	76 kg

## HECHT 845

## HECHT 890



					1280 x 970 x 770 mm (steel structure fully assembled)
⚡	electric	400 V/50 Hz	Ⓜ	max. log diameter	230 mm
⚡	power input	4500 W	👤	weight	110 kg

## Petrol log saw 4 stroke



					1260 x 970 x 760 mm (steel structure fully assembled)
⚡	engine volume	389 cm <sup>3</sup>	Ⓜ	max. log diameter	230 mm
⚡	power output	13* HP	👤	weight	133 kg

Part no.:  
HECHT 000656

## HECHT 6370

## HECHT 000651

Stand for  
HECHT 651

## HECHT 651

Part no.:  
HECHT  
000656



CE					830 x 460 x 285 mm
⚡	electric	230 V/50 Hz	Ⓜ	max. log length	370 mm
⚡	power input	1500 W	Ⓜ	max. log diameter	250 mm
⏴	max. pressure	4 t	👤	weight	38 kg

845 x 135 x 180 mm



CE					1000 x 285 x 460 mm
⚡	electric	230 V/50 Hz	Ⓜ	max. log length	520 mm
⚡	power input	1500 W	Ⓜ	max. log diameter	250 mm
⏴	max. pressure	5 t	👤	weight	41 kg

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.



# LOG SPLITTERS

## HECHT 000670

Stand for  
HECHT 670

820 x 170 x 135 mm



## HECHT 670



Part no.:  
HECHT  
000671



970 x 290 x 460 mm



	electric	230 V/50 Hz		max. log length	520 mm
	power input	2000 W		max. log diameter	250 mm
	max. pressure	7 t		weight	46 kg

## HECHT 656



975 x 325 x 480 mm



	electric	230 V/50 Hz		max. log length	520 mm
	power input	2100 W		max. log diameter	250 mm
	max. pressure	6 t		weight	51 kg



Part no.:  
HECHT 006061



1060 x 520 x 380 mm



	electric	230 V/50 Hz		max. log length	1060 mm
	power input	2200 W		max. log diameter	400 mm
	max. pressure	6 t		weight	78 kg



Part no.:  
HECHT 006100 A



Part no.:  
HECHT 006100 B



1060 x 560 x 440 mm



	electric	230 V/50 Hz		max. log length	1060 mm
	power input	3000 W		max. log diameter	400 mm
	max. pressure	8 t		weight	98 kg



model 2016



Part no.:  
HECHT 006100 A



Part no.:  
HECHT 006100 B



1100 x 555 x 450 mm



	electric	400 V/50 Hz		max. log length	1070 mm
	power input	3700 W		max. log diameter	400 mm
	max. pressure	10 t		weight	128 kg



Part no.:  
006414 A  
006414 B  
006414 C



1040 x 690 x 520 mm



	electric	400 V/50 Hz		max. log length	1350 mm
	power input	4300 W		max. log diameter	400 mm
	max. pressure	14 t		weight	191 kg

# VACUUM CLEANERS / BLOWERS

## HECHT 3000

## HECHT 3030



Metal blade



815 x 190 x 235 mm



920 x 210 x 305 mm



electric	230 V/50 Hz	air velocity	275 km/h
power input	3000 W	collecting bag	45 l

electric	230 V/50 Hz	collecting bag	50 l
power input	3000 W	air velocity	200–300 km/h
weight	4,8 kg	multistage adjustment of engine power	

## HECHT 9254



2 IN 1

metal blade



580 x 290 x 390 mm

2-stroke engine

collecting bag	50 l	
----------------	------	--

engine volume	25,4 cm <sup>3</sup>	air velocity	148 km/h
power output	1 HP	air volume	0,2 m <sup>3</sup> /s
weight	5,8 kg	adjustment of engine power	

## HECHT 9265

metal blade



2 IN 1

DOUBLE REINFORCEMENT OF SUCTION / BLOWER AUGER



580 x 355 x 370 mm

2-stroke engine



engine volume	25,4 cm <sup>3</sup>	air velocity	180 km/h
power output	1 HP	collecting bag	50 l
weight	4,1 kg	adjustment of engine power	

# VACUUM CLEANERS / BLOWERS

## HECHT 972 PROFI

GARDEN



Filter for dusty environments

Blower only



540 x 430 x 550 mm

2-stroke engine



	engine volume	79,4 cm <sup>3</sup>		weight without accessory	11 kg
	power output	4,6 HP		air volume	0,4 m <sup>3</sup> /s
	adjustment of engine power				

## HECHT 979 PROFI



Filter for dusty environments

Blower only



530 x 410 x 580 mm

2-stroke engine



	engine volume	75,6 cm <sup>3</sup>		weight without accessory	11,5 kg
	power output	4,2 HP		air volume	0,41 m <sup>3</sup> /s

## HECHT 9440

**BATTERY AND CHARGER NOT INCLUDED**



2 IN 1



440 x 390 x 222 mm



	Li-ion	DC 40 V, 4 Ah		air volume blower	0,07 m <sup>3</sup> /s
	weight blower	2,14 kg		air volume vacuum cleaner	0,1 m <sup>3</sup> /s
	weight vacuum cleaner	2,88 kg	Battery and charger not included		

## OPPAMA PET 304

Engine tachometer

Petrol engine tachometer:  
2-stroke - 1 cylinder,  
4-stroke - 2 cylinder  
Max. 20 000 rpm



## OPPAMA PET 1000R

Engine tachometer

Petrol engine tachometer:  
2-stroke - 1 cylinder  
4-stroke - 2 cylinder



## OPPAMA PET 4000

Ignition checker



# ACCU PROGRAM 5040

## HECHT 5035

WITH BATTERY AND CHARGER



735 x 405 x 370 mm **CE** PUSHED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	2,5 Ah	🌿	plastic chassis	
📏	working width	35 cm	🗑️	collecting box	35 l
👤	weight	17,5 kg	⬆️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			

## HECHT 5038

WITH BATTERY AND CHARGER



790 x 455 x 370 mm **CE** PUSHED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	4 Ah	🌿	plastic chassis	
📏	working width	38 cm	🗑️	collecting box	40 l
👤	weight	16,4 kg	⬆️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			

## HECHT 6504

⚡	Accu Li-Ion	DC 40 V
📏	max. cutting diameter	20 mm
🗑️	bar length	50 cm
👤	weight	4,5 kg
📏	length	1,9 - 2,4 m



Telescopic + 50 cm



1220 x 210 x 140 mm

## HECHT 1384

BATTERY AND CHARGER NOT INCLUDED

www.hecht.cz



660 x 480 x 340 mm **CE**

⚡	accu Li-Ion	DC 40 V	🗑️	collecting box	45 l
📏	working width	38 cm	🕒	working time	48 min
👤	weight	14,5	🌿	plastic chassis	
without battery and charger					

**Battery 005040B**  
DC 40 V, 4 Ah  
Available from 1/17



**Battery 005025B**  
DC 40 V, 2,6 Ah  
Available from 1/17

## HECHT 9040

BATTERY AND CHARGER NOT INCLUDED



570 x 555 x 460 mm

⚡	accu Li-Ion	DC 40 V	🛞	manual pushed	✓
🔋	Li-Ion	4 Ah	👤	weight	19,5 kg
📏	working width	46 cm	Battery and charger not included		



With light

cca 90 cm

46 cm

## HECHT 9440

BATTERY AND CHARGER NOT INCLUDED



440 x 390 x 222 mm **CE**

⚡	Li-Ion	DC 40 V, 4 Ah	🌬️	air volume blower	0,07 m³/s
👤	weight blower	2,14 kg	🌬️	air volume vacuum cleaner	0,1 m³/s
👤	weight vacuum cleaner	2,88 kg	Battery and charger not included		



2 IN 1



# ACCU PROGRAM 5040

## HECHT 5046

Mulching kit included

WITH BATTERY AND CHARGER



PATENTED WHEELS DESIGN



845 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	26 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	



PATENTED WHEELS DESIGN



910 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	51 cm		collecting box	60 l
	weight	27,7 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	

## HECHT 5051

Mulching kit included

WITH BATTERY AND CHARGER



GARDEN

## Charger 005040CH

Available from 1/17



Battery cells



12 products with 1 battery and charger



BATTERY AND CHARGER NOT INCLUDED

## HECHT 1440

Accu brushcutter



		accumulator	Li-ion Samsung
	accu article (V)	DC 40 V, 4 Ah	
	working width blade	25,4 cm	
	working width string head	30	
	weight	5,5 kg	

965 x 280 x 170 mm

## HECHT 9504

BATTERY AND CHARGER NOT INCLUDED

## HECHT 9940

	accumulator	Li-ion Samsung	
	accu article (V)	DC 40 V, 4 Ah	
	bar length	35 cm	
	weight	5,5 kg	

BATTERY AND CHARGER NOT INCLUDED



	Accu Li-ion	DC 40 V		bar length	20 cm
	length	2,3-2,8 m		weight	4,4 kg



445 x 258 x 290 mm

## HECHT 1040

BATTERY AND CHARGER NOT INCLUDED



		accumulator	Li-ion Samsung		working width	28-32 cm
	accu article (V)	DC 40 V, 4 Ah		weight	3,8 kg	

1232 x 258 x 118 mm



# ORIGINAL ACCESSORIES

## Adapters for grass trimmers HECHT

HECHT made for you	order number dimensions	Hecht 1238	Hecht 1299	Hecht 1445	Hecht 690	HECHT 124	Hecht 124 R	Hecht 130R	Hecht 129 BTS	Hecht 135 BTS	HECHT 1330	Hecht 142 BTS	Hecht 145	Hecht 151	Hecht 152 BTS	Hecht 154	Hecht 150, 163
			HECHT 000109 <b>EASY-load</b>		x						x	x	x	x	x	x	x
	HECHT 000130 <b>EASY-load</b>												x	x	x	x	
	HECHT 000108		x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	74201080	x															
	74203101	x															
	H124-11					x											
	124R00004						x	x									
	16300000H																x
	690002432			x													
	600050 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600040 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600250 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600600 ø 250x3,0mm											x	x	x	x	x	
	600610 ø 300x3,0mm											x	x	x	x	x	
	600590 ø 255x1,4mm												x	x	x	x	
	600640 ø 255x1,8mm													x	x	x	

## Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 1,65 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 1,65 x 750 m (10075016)
- Ø 2,0 x 520 m (10052020)
- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 3,3 x 210 m (10021033)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- Ø 3,3 x 232 m (10123233)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)
- ★ Ø 3,3 x 232 m (10223233)



**DUAL POWER**

## Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 1,65 x 750 m (10375016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2 x 520 m (10352020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 3,3 x 210 m (10321033)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)
- Ø 3,3 x 232 m (10423233)



www.hecht.cz

**EASY-load**

Easy load system - really quick string change without using any tools.

## HECHT GREASE GX

Plastic lubricant for angle drives  
Min. order 48 pcs



Plastic tube



## HECHT 000101

Shoulder strap



Plastic bag with hang tag

## HECHT 000102

Shoulder strap

Plastic bag with hang tag



## HECHT 000103

Shoulder strap

Plastic bag with tag




## HECHT 5036 SET 2in1

Separable handle



SAMSUNG



Scissors



Hedge



740 x 130 x 125 mm

⚡	accumulator	Li-ion Samsung	working width	8/11 cm
⚡	accu article	DC 3,6 V	weight	1 kg

# ACCU PROGRAM 6020

You can buy grass trimmer HECHT 5020 with a battery and charger included to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

## 3 in 1

(3 products with 1 battery and charger)

**ACCU program 6020**

**Battery 000620B**  
DC 20 V, 2 Ah



**Charger 000620CH**



## HECHT 5020



**BATTERY AND CHARGER INCLUDED**



895 x 250 x 155 mm

CE

	accumulator	Lithium-ion		working width	25 cm
	accu article (V)	DC 20 V. 2 Ah		weight	2 kg
	working time without load	cca 20 min		charging time	cca 2 h

**Li-ion**  
Powered

## HECHT 6020



**BATTERY AND CHARGER NOT INCLUDED**



945 x 220 x 170 mm

CE

	accumulator	Lithium-ion		bar length	61 cm
	accu article (V)	DC 20 V. 2 Ah		weight	1,85 kg
	max. cutting diameter	15 mm	Battery and charger not included		

## HECHT 9020



**BATTERY AND CHARGER NOT INCLUDED**



500 x 170 x 210 mm

CE

	accumulator	Lithium-ion		air velocity	198 km/h
	accu article (V)	DC 20 V. 2 Ah		weight	1,3 kg
Battery and charger not included					

\* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

# ELECTRIC AND PETROL GRASS TRIMMERS AND BRUSH CUTTERS

## HECHT 300




CE

400 x 195 x 120 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	22 cm
⚡ power input	300 W	weight	1,4 kg

## HECHT 530



CE

980 x 245 x 130 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	30 cm
⚡ power input	550 W	weight	2,6 kg

## HECHT 630



CE

890 x 250 x 155 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	30 cm
⚡ power input	600 W	weight	2,8 kg

## HECHT 1299

Separable shaft



CE

310 x 825 x 140 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	38 cm
⚡ power input	1200 W	weight	4,4 kg

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

977 x 294 x 130 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	38 cm
⚡ power input	1200 W	weight	4,4 kg

## HECHT 1445

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

990 x 230 x 110 mm

CZ SK GB PL HU

⚡ electric	230 V/50 Hz	working width	42 cm
⚡ power input	1400 W	weight	5 kg

Separable shaft



Basic accessories of the machine are:  
string head and metal blade, shoulder belt

CE

986 x 257 x 233 mm

CZ SK GB PL HU

⚡ engine volume	25 cm <sup>3</sup>	working width	43 cm
⚡ power output	1 HP	weight	4,6 kg



# PETROL BRUSH CUTTERS

Separable shaft



## HECHT 130 R

Separable shaft



## HECHT 129 BTs

Basic accessories of the machine are: string head and shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke  
autochoke

2-stroke

ULTRA LIGHT



1020 x 260 x 260 mm



	engine volume	30 cm <sup>3</sup>		working width	43 cm
	power output	1,2 HP		weight	5 kg



1100 x 270 x 260 mm



	engine volume	26 cm <sup>3</sup>		working width	43 cm
	power output	1,1 HP		weight	5,9 kg

Separable shaft



## HECHT 135 BTs

Separable shaft



## HECHT 142 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke

ULTRA LIGHT

ULTRA LIGHT



1130 x 270 x 256 mm



	engine volume	33 cm <sup>3</sup>		working width	43 cm
	power output	1,5HP		weight	6,1 kg



1100 x 300 x 300 mm



	engine volume	43 cm <sup>3</sup>		working width	43 cm
	power output	2 HP		weight	6,8 kg

## HECHT 145

Separable shaft



## HECHT 152 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke

1840 x 252 x 302 mm



	engine volume	43 cm <sup>3</sup>		working width	42 cm
	power output	2 HP		weight	8,5 kg



1100 x 300 x 300 mm



	engine volume	52 cm <sup>3</sup>		working width	43 cm
	power output	2,2 HP		weight	7,9 kg

\* Net weight of grass trimmers and brush cutters is without cutting cover and tools

# PETROL BRUSH CUTTERS

## HECHT 151



Basic accessories of the machine are: string head and metal blade, shoulder belt



1850 x 280 x 285 mm

	engine volume	51 cm <sup>3</sup>		working width	44 cm
	power output	2,4 HP		weight	8,9 kg

## HECHT 150



Basic accessories of the machine are: string head and metal blade, shoulder belt



1860 x 310 x 306 mm

	engine volume	51,7 cm <sup>3</sup>		working width	43 cm
	power output	2,2 HP		weight	10 kg

## HECHT 154

Basic accessories of the machine are: string head, shoulder belt and metal blade, carburetor WALBRO



2-stroke  
easy start  
autochoke



1880 x 315 x 300 mm

	engine volume	52 cm <sup>3</sup>		working width	43 cm
	power output	2,6 HP		weight	8,7 kg

A robust cleaning brush cutter for demanding applications

## HECHT 163

Basic accessories of the machine are: string head, shoulder belt and metal blade,



3,1 HP



1871 x 313 x 318 mm

	engine volume	63,3 cm <sup>3</sup>		working width	43 cm
	power output	3,1 HP		weight	10,8 kg

## HECHT 133 R

Basic accessories of the machine are: string head, shoulder belt and metal blade



4-stroke



1840 x 264 x 270 mm

	engine volume	33,5 cm <sup>3</sup>		working width	43 cm
	power output	1,1 HP		weight	7,5 kg

## HECHT 1330

Multifunctional tool

5in 1



2-stroke



1080 x 260 x 270 mm

	engine volume	26 cm <sup>3</sup>		working width	43 cm
	power output	1 HP		weight	7,5 kg

Lawn cutter - optional accessory for HECHT 0001330



# PETROL SWEEPERS, GARDEN GLOVES

GARDEN

## HECHT 8616

**3 in 1**      13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

**CE**

	displacement	196 cm <sup>3</sup>		weight	70 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

## HECHT 8616 SE

With 230 V electric starter and adjustable light

**3 in 1**      13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

**CE**

	displacement	196 cm <sup>3</sup>		weight	72 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

## HECHT 8101

**Variable brush speed**



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

**CE**

	displacement	173 cm <sup>3</sup>		weight	79 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

### Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare 000861 A



61 cm

Collecting box 000861 B



Snow thrower 000861 C



55 cm

### Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A



Collecting box 008101 B



13" Chains 009551



## HECHT 8101 S

**Variable brush speed**



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

**CE**

**Equipped with battery starter**

	displacement	173 cm <sup>3</sup>		weight	82 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

## HECHT 8101 BS

**Variable brush speed**



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke engine B&S 750 EX

**CE**

**POWERED BY BRIGGS & STRATTON**

	displacement	161 cm <sup>3</sup>		weight	76 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# GARDEN TOOLS

420 CC



421



498 D2



435 HB 2L



493 A



494 ADN



176 GT



434DLA08  
Ratchet shears



527A



023 - 2W



041 C



018KB



020 AKB



036 WLG



telescopic


0185GHJ2



020A5GHJ2



018 LGG




telescopic

020 ALGG




telescopic

0182036L




telescopic

050GAH9L



telescopic

050TAH9L



telescopic

060AH9L



telescopic

2002



2003



2004



G02FHN



**JZN200 - universal garden pruning shears 200 cm**



**JZN356 - universal garden pruning shears 200-356 cm**



R4

M4 T2A - aluminium - telescopic

130-243 cm

# SPADES, RAKES

## HECHT 600801

Working part made of carbon steel.

thickness 1,8 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600805

Working part made of carbon steel.

thickness 2 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600808

Working part made of carbon steel.

thickness 1,8 mm  
blade length 295 mm  
neck length 300 mm  
handle length 850 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 600821

Working part made of carbon steel.

thickness 2 mm  
blade length 295 mm  
neck length 300 mm  
handle length 1200 mm

Handle made of durable ash wood.



Box: 3 pcs

## HECHT 600818

Working part made of carbon steel.

length 1220 mm

Handle made of a special composite material which is reinforced with glass fibers.  
**- FIBERGLASS**



Box: 3 pcs

## HECHT 2213

Working part made of carbon steel.

length 1145 mm



GARDEN

## 5in1

(5 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.


## HECHT 600101

oval aluminum handle with plastic sleeve, soft grip and end hook

### QUICK ASSEMBLY



Box: 6 pcs



161 cm

## HECHT 600135

PET rake blade 35 teeth  
size 760 x 310 mm



Box: 6 pcs

## HECHT 600123

PET rake blade 23 teeth  
size 480 x 260 mm



Box: 6 pcs

## HECHT 600112

Nylon rake blade 12 teeth  
size 410 mm



Box: 6 pcs

## HECHT 600118

Nylon rake blade 18 teeth  
size 580 mm



Box: 6 pcs

## HECHT 600113

PET rake blade 13 teeth  
size 240 x 200 mm



Box: 6 pcs

# GARDEN TOOLS, BOW SAWS, COMPOSTERS

**600631**

47 cm



**M4B1**

pruning shears for trimming branches and tall trees



**900442**



folding

**F2AD**



folding

**HECHT 600605**

length 53,4 cm

Bow saw for wood cutting



**HECHT 600620**

length 61 cm

Bow saw for wood cutting



**M9GLC**  
tool holder



5 PCS SET



www.hecht.cz

**HECHT 36**

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



235 x 845 x 725 mm



**HECHT 4600**

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



770 x 240 X 1090 mm



	max capacity	360 l
	dimensions	78 x 78 x 84 cm

	max capacity	600 l
	dimensions	80 x 80 x 108 cm

# GARDEN CARTS, FERTILIZERS

## HECHT GARDEN CART

order no.:  
HCG401



PLASTIC WITH WHEELS



	max weight	30 kg
	max capacity	60 l

## HECHT PROFI CART

order no.:  
HCP402



PLASTIC WITH WHEELS



	max weight	150 kg
	max capacity	110 l

## HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



plastic bag

	manual		max capacity	cca 3 l
	weight	0,5 kg		max. width of sprading 2 m

## HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



245 x 210 x 575 mm

	manual pushed		max capacity	12 l
	weight	2 kg		max. width of sprading 45 cm

## HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



595 x 295 x 210 mm

	manual pushed		max capacity	20 l
	weight	2,9 kg		max. width of sprading 48 cm

## HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



500 x 280 x 390 mm

	manual pushed		max capacity	27 l
	weight	4,4 kg		max. width of sprading 3 m

# FERTILIZERS, GARDEN SHREDDERS

## HECHT 229



Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



620 x 420 x 320 mm

manual pushed	max capacity	29 l
weight	11 kg	max. width of sprading 3 m

## HECHT 256



Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



780 x 550 x 450 mm

manual pushed	max capacity	60 l
weight	17,3 kg	max. width of sprading 3,5 m

Suitable for lawn tractors

## HECHT 260



Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



www.hecht.cz



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

manual pushed	max capacity	60 l
weight	12,6 kg	max. width of sprading 4 m

## HECHT 624



shredded branches



680 x 275 x 360 mm

	electric	230 V/50 Hz	cut branches up to	4,5 cm
	power input	2400 W		electric overload protection

## HECHT 6224



shredded branches



650 x 370 x 475 mm

	electric	230 V/50 Hz	cut branches up to	4 cm
	power input	2400 W		electric overload protection

## HECHT 624 BOX



shredded branches



485 x 385 x 555 mm

	electric	230 V/50 Hz	cut branches up to	4 cm
	power input	2500 W	collecting box	cca 50 l
	electric overload protection			



# GARDEN SHREDDERS

## HECHT 6284 XL

box  
cca 60 l



shredded  
branches



575 x 420 x 505 mm



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

## HECHT 626 Silent

Including  
cca 50 l bag



shredded  
branches



620 x 515 x 255 mm



	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	
	electric overload protection				
	engine brake				
	shredding by crushing roller (very silent)				

## HECHT 6285 XL



shredded  
branches



570 x 380 x 520 mm



	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

## HECHT 6280 XL



shredded  
branches



box  
cca 60 l

600 x 387 x 445 mm



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	
	electric overload protection				
	engine brake				
	shredding by crushing roller (very silent)				
	collecting box	cca 60 l			

## HECHT 6173

Including  
box for  
shredded  
branches



shredded  
branches



790 x 420 x 790 mm



	engine HECHT	OHV		collecting box	cca 30 l
	displacement	173 cm <sup>3</sup>		weight	45 kg

## HECHT 6420



Shredding knives

Towing rod

Including  
bag for  
shredded  
branches



1125 x 780 x 460 mm



	engine HECHT	OHV		cut branches up to	5 cm
	displacement	389 cm <sup>3</sup>		automatic branch pulling	
	weight	110 kg			

# HAND AND KNAPSACK SPRAYERS


## HECHT 401



Plastic bag

	manual			tank volume	0,9 l
	weight	0,15 kg			

Adjustable spraying jet



- CZ
- SK
- PL
- GB
- DE
- HU

plastic bag

	manual			weight	0,5 kg
	max. pressure	2 bar		piston	
	tank volume	1,5 l			


## HECHT 415 V



Relief valve



Adjustable spraying jet



## HECHT 405



pressure relief valve




- CZ
- SK
- PL
- GB
- DE
- HU

160 x 185 x 420 mm

	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	tank volume	5 l			

Adjustable spraying jet



## HECHT 408



pressure relief valve



- CZ
- SK
- PL
- GB
- DE
- HU

182 x 182 x 555 mm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	tank volume	8 l			

## ACCESSORIES

1.	<b>003016</b>	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	<b>000408</b>	The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	<b>004500</b>	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	<b>000416</b>	telescopic rod max 150 cm for HECHT 425, 4120
5.	<b>000400</b>	gloss applicator for HECHT 405, 408, 4500
6.	<b>004112</b>	set of nozzles for HECHT 4112, 4116
7.	<b>000415A</b>	nozzle „F-type“ for HECHT 415 ACCU



Adjustable spraying jet



pressure relief valve

## HECHT 4500



Manometer



- CZ
- SK
- PL
- GB
- DE
- HU

181 x 439 x 181 mm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	tank volume	5 l			

# SPRAYERS AND MIST DUSTERS

## HECHT 41 12



425 x 165 x 559 mm



	manual		tank volume	12 l
	max. pressure		piston	

## HECHT 41 16



440 x 185 x 570 mm



	manual		tank volume	16 l
	max. pressure		piston	

## HECHT 451

Including applicator for granules

without auxiliary pump



510 x 400 x 690 mm



	engine HECHT	2 stroke		weight	11 kg
	engine volume	51,7 cm <sup>3</sup>		tank volume	14 l
	power output	2 HP		range	≤12 m



## HECHT 459

Including applicator for granules

with auxiliary pump



500 x 440 x 680 mm



	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm <sup>3</sup>		tank volume	14 l
	power output	3,6 HP		range	≤16 m



## HECHT 415 ACCU

Li-ion battery included

Available from 4/17



370 x 240 x 550 mm



	accu	12 V, 7 Ah		tank volume	15 l
	max. pressure	2,75 bar		weight	4,4 kg



## HECHT 433

Available from 5/17



425 x 350 x 535 mm



	engine HECHT	2 stroke		weight	9,2 kg
	engine volume	25,4 cm <sup>3</sup>		tank volume	15 l
	power output	1 HP		max. pressure	25 bar



# SUBMERSIBLE, SURFACE AND GARDEN PUMPS

## HECHT 3018

Second extension



200 x 200 x 100 mm

POND PUMP

Interchangeable attachments



200 x 205 x 160 mm

## HECHT 3051


POND PUMP



200 x 205 x 160 mm



## HECHT 3350



220 x 370 x 160 mm

plastic chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	1,4 m
⚡ power input	18 W	→ max. delivery volume	900 l/h
📏 pipe diameter	1,4"	🔌 10 m rubber power cable	

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	2,3 m
⚡ power input	50 W	→ max. delivery volume	1750 l/h
📏 pipe diameter	1,2"	🔌 10 m rubber power cable	

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	10 m
⚡ power input	350 W	🔌 10 m rubber power cable	
🌊 clear water		→ max. delivery volume	3000 l/h

## HECHT 3400



228 x 168 x 325 mm



plastic chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	5 m
⚡ power input	400 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	8000 l/h

## HECHT 3752



228 x 168 x 340 mm



plastic chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	8 m
⚡ power input	750 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	12500 l/h

## HECHT 3011



228 x 168 x 360 mm



inox chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	10 m
⚡ power input	1100 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	16000 l/h

## HECHT 3301



150 x 100 x 280 mm



steel chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	55 m
⚡ power input	300 W	🔌 10 m rubber power cable	
		→ max. delivery volume	1400 l/h

## HECHT 3602




170 x 120 x 280 mm



steel chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	70 m
⚡ power input	600 W	🔌 10 m rubber power cable	
		→ max. delivery volume	1700 l/h

## HECHT 3520



225 x 175 x 635 mm



steel chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	55 m
⚡ power input	1000 W	🔌 10 m rubber power cable	
		→ max. delivery volume	5200 l/h

# GARDEN PUMPS, GREENHOUSE ACCESSORIES

## HECHT 3080



370 x 210 x 260 mm



	electric	230 V/ 50 Hz		max.delivery height	38 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	3,8 bar			

## HECHT 3800



465 x 280 x 570 mm



	electric	230 V/ 50 Hz		max.suction lift	8 m
	power input	800 W		max. delivery volume	3200 l/h
	max. delivery height	38 m		tank volume	20 l

### HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.



carton header

## HECHT 3101 INOX



465 x 280 x 510 mm



	electric	230 V/ 50 Hz		max.delivery height	44 m
	power input	1000 W		max. delivery volume	3500 l/h
	max. pressure	1,5-3 bar			

## HECHT 343



400 x 300 x 400 mm



	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm <sup>3</sup>		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

## HECHT 3635



485 x 383 x 400 mm



	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	power output	6,5 HP*		max. delivery volume	30000 l/h
	max. delivery height	27 m			

## HECHT 3680



Suction strainer included



FOR DIRTY WATER



570 x 445 x 435 mm



	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
	power output	6,5 HP*		weight	37 kg
	max. delivery height	25 m		max. delivery volume	45000 l/h

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION



**08010C** 1/2"

CONNECTION



**08011C** 1/2"

TAP EXTENSION



**08028C** 1"

SPRAYING GUN

**02095**



**HECHT 02096**



CONNECTION



**08029C** 3/4"



**08030C** 3/4"

IRRIGATION NOZZLE



**08024C** 1/2" & 3/4"

THREE-WAY CONNECTION




**08015E**

ALUMINIUM

CONNECTION

**HECHT 08010**


1/2" hoses



1/2"-5/8"

**HECHT 08011**

1/2" hoses



1/2"-5/8"

**HECHT 08111**

3/4" - 5/8" - 1/2" hoses



1/2"-5/8"-3/4"

CONNECTION

**HECHT 08029**

3/4" hoses



3/4"

**HECHT 08030**

3/4" hoses



3/4"

CORRECTION CONNECTION

**HECHT 08013**

3/4" - 5/8" - 1/2" hoses



Universal



1/2"-5/8"-3/4"

TAP EXTENSION

**HECHT 08018**

3/4" hoses



3/4"

**HECHT 08023**

3/4" & 1" hoses



3/4"



**HECHT 08024**

1/2" & 3/4" hoses



1/2"



3/4"

TWO-WAY CONNECTION

**HECHT 08016**



CONNECTION SET

**HECHT 08025**



SPRINKLER

**HECHT 08109**

up to 10 m diameter



ELECTRONIC TIMER

**HECHT 08907**

multifunction pre-set watering selection digital LCD time display only 2 AA batteries required (not included) adaptor 3/4 and 1" hose



MECHANICAL TIMER

**HECHT 08901**

setting 0/120 min no batteries needed adaptor 3/4 and 1"



TWO-WAY TAP EXTENSION

**HECHT 08104**



IMPLUSE SPRINKLER

**HECHT 01023**



**HECHT 08103**



**HECHT 06043**

**HECHT 02677**



www.hecht.cz

# HOSE CONNECTIONS, EXTENTIONS AND GUNS

## SHOWER



**HECHT 08230**

65 cm

10 patterns

## 8 PATTERN OSCILLATING SPRINKLER 3 IN 1

**HECHT 06018**



8 patterns:  
circle, semicircle, rectangle, sector,  
shower, square, triangle, semiflat

## 8 PATTERN SPRINKLER

**HECHT 07060**



500 x 120 x 165 mm

pressure 2-4 bar, max. 20 l/min,  
max. area 280 m<sup>2</sup>

## OSCILLATING SPRINKLER

**HECHT 08601**

max. 4 bar,  
12,4 m diameter



## OSCILLATING SPRINKLER


**HECHT 08702**

17 holes



## SPRAYING GUNS

**HECHT 02002**




**HECHT 02063**



**HECHT 02036**



**HECHT 02064**



**HECHT 02037**



## HOSES

**HECHT 05915**

332 x 235 mm



**HECHT 05120** 1/2"

Working pressure 5 bar  
Bursting pressure 17 bar  
20 m



## HOSE HANGER

**HECHT 00632**



## HOSE REEL

**HECHT 08666**

20 m of 1/2" hose



**HECHT 00627**

335 x 150 x 370 mm

max 50 m of 1/2" hose

## HOSE CART

**HECHT 00628**

530 x 160 x 395 mm

max 50 m of 1/2" hose



**HECHT 08623**

570 x 160 x 370 mm

max 50 m of 1/2" hose



**HECHT 00638**

470 x 190 x 575 mm

max 100 m of 1/2" hose

# GREENHOUSES

## MINI



BOX: 1020 x 100 x 100 mm



100 x 60 x 60 cm

metal frame, PE cover

## TOMATO BASIC



BOX: 570 x 140 x 85 mm



100 x 50 x 150 cm

metal frame, PE cover

## ELONGATED



BOX: 900 x 140 x 115 mm



180 x 90 x 92 cm

metal frame, PE cover

## BALCONY B



BOX: 500 x 90 x 920 mm



90 x 49 x 150 cm

metal frame, PE cover

## BALCONY



BOX: 460 x 67 x 690 mm



68 x 49 x 125 cm

metal frame, PE cover

## TILT



BOX: 1020 x 280 x 130 mm



143 x 73 x 195 cm

metal frame, PE cover

## TUNNEL

### STEEL FRAME



BOX: 1070 x 400 x 170 mm



300 x 200 x 200 cm

metal frame, PE cover

## HECHT CANOPY



BOX: 3030 x 650 x 200 mm



435 x 206/258 x 303 cm

metal frame

## HECHT WORKBENCH

### GALVANIZED STEEL CONSTRUCTION



1 BOX: 1130 x 620 x 90 mm



112 x 61 x 109 cm

galvanized steel construction

## HECHT 000608

### AUTO VENT OPENER



NOT FOR THE MODEL HECHT GREENHOUSE



# GREENHOUSES

## HECHT PLANTER I. HECHT SEEDBED I.

ALU FRAME 1 mm  
+ POLYCARBONATE

ALU FRAME 1 mm  
+ POLYCARBONATE



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm      0,6 m<sup>2</sup>

alu frame, 4 mm pc board



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm      0,6 m<sup>2</sup>

alu frame, 4 mm twinwall polycarbonate



1 BOX: 620 x 560 x 110 mm

180 x 51 x 51 cm      0,9 m<sup>2</sup>      alu frame, 4 mm pc board

## HECHT SEEDBED II.

ALU FRAME 1 mm  
+ POLYCARBONATE



## HECHT GREENHOUSE I.

ALU FRAME 1 mm  
+ POLYCARBONATE

BASE INCLUDED  
(GALVANIZED STEEL)



2 BOXES: 1230 x 130 x 620, 2540 x 200 x 160 mm

250 x 190 x 195 cm      4,93 m<sup>2</sup>      1 mm alu frame, 4 mm twinwall polycarbonate

## HECHT RANCHER II.

ALU FRAME 1,2 mm  
+ POLYCARBONATE

BASE INCLUDED  
(GALVANIZED STEEL)



2 BOXES: 1380 x 640 x 140, 3170 x 200 x 190 mm

315 x 190 x 195 cm      5,98 m<sup>2</sup>      1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,2 mm  
+ POLYCARBONATE

BASE INCLUDED  
(GALVANIZED STEEL)

## HECHT GARDENER I.



2 BOXES: 1360 x 680 x 160, 1700 x 260 x 200 mm

310 x 250 x 190 cm      7,75 m<sup>2</sup>      1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,5 mm  
+ POLYCARBONATE

BASE INCLUDED  
(GALVANIZED STEEL)

## HECHT GREENGROECER



2 BOXES: 1420 x 730 x 140, 368 x 240 x 140 mm

365 x 244 x 250 cm      8,9 m<sup>2</sup>      1,5 mm alu frame, 4 mm twinwall polycarbonate

# HIGH PRESSURE WASHERS

## HECHT 317

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 3 meter, 3 meter pressure hose with gun



260 x 250 x 470 mm



	electric	230 V/50 Hz		max. pressure	105 bar
	power input	1600 W		delivery volume	360 l/h

## HECHT 320


**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun, accessories holder



325 x 295 x 600 mm

	max. pressure	180 bar
	max. temperature	60° C

BRUSH - 000320B  
FOR HECHT 320 AND 323



170 x 70 x 118 mm



	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2000 W		delivery volume	390 l/h

## HECHT 323

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable, 5 meter pressure hose with gun, accessories holder



PRESSURE HOSE - 000320D  
FOR HECHT 320 AND 323

270 x 90 x 270 mm



ROTARY BRUSH - 000320E  
FOR HECHT 320 AND 323


170 x 120 x 370 mm



350 x 325 x 735 mm



	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2200 W		delivery volume	480 l/h



**Pump with strengthening of the output pressure**



350 x 890 x 290 mm

	electric	230 V/50 Hz		max. pressure	135 bar
	power input	1900 W		delivery volume	480 l/h

## HECHT 321

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 7 meter pressure hose with gun



**Self-priming**  
- no need of pressure water supply, also works with pressure water



## HECHT 324

**Equipment:**  
bottle for cleaner with foam jet, power cable, 8 meter pressure hose with gun, power cable 5 meter



520 x 410 x 640 mm



	electric	230 V/50 Hz		max. pressure	150 bar
	power input	2300 W		delivery volume	420 l/h

## HECHT 326

**Equipment:**  
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun



860 x 380 x 360 mm



	electric	230 V/50 Hz		max. pressure	200 bar
	power input	2600 W		delivery volume	420 l/h

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# PETROL GENERATOR

## HECHT 3227

### Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

Folding handle



575 x 525 x 580 mm



⚡	engine HECHT	4-stroke	max	max. pressure	186 bar
🔧	engine volume	196 cm <sup>3</sup>	→	delivery volume	474 l/h

## HECHT 3230

### Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool



620 x 490 x 555 mm



⚡	engine HECHT	4-stroke	max	max. pressure	207 bar
🔧	engine volume	196 cm <sup>3</sup>	→	delivery volume	681 l/h

# WASHER ACCESSORIES

## HECHT 000317



15 m

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220 use the reduction H318326).

230 x 100 x 230



Rotating brush (for HECHT 318, 326, 3220 use the reduction H318326)  
Part no.: 000318



Reduction Part no.: H318326



Rotating brush for the terrace cleaning (for HECHT 318, 326, 3220 use the reduction H318326)  
Part no.: 000326

## HECHT GG 950 DC

Machine panel equipped with:  
1 socket 230 V  
+ 1 socket 12 V, fuse, power syst. grounding,



375 x 330 x 320 mm

2-stroke engine



🔧	displacement	63 cm <sup>3</sup>	⚡	voltage	~230 V/12 V
🏠	power output	2 HP*	🔊	noise level	95 dB
⚡	steady electrical output	650 W	🛢️	tank	4,2 l
⚡	max. electrical output	720 W	👤	weight	16,5 kg

Machine panel equipped with:  
1 socket 230 V  
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

## HECHT GG 1300



460 x 360 x 410 mm

4-stroke engine



🔧	displacement	87 cm <sup>3</sup>	⚡	voltage	~230 V/12 V
🏠	power output	2,4 HP*	🔊	noise level	93 dB
⚡	steady electrical output	900 W	🛢️	tank	5,2 l
⚡	max. electrical output	1000 W	👤	weight	27 kg

Machine panel equipped with:  
2 socket 230 V  
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

## HECHT GG 3300



600 x 450 x 515 mm

4-stroke engine



🔧	displacement	208 cm <sup>3</sup>	⚡	voltage	~230 V/12 V
🏠	power output	7 HP*	🔊	noise level	96 dB
⚡	steady electrical output	2600 W	🛢️	tank	15 l
⚡	max. electrical output	3000 W	👤	weight	46,5 kg

\* The data of engine performance is measured in 3600 rpm<sup>-1</sup>. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

# PETROL GENERATORS, SEPARATOR

## HECHT GG 6500

Machine panel equipped with:  
3 socket 230 V  
+ 1 socket 12 V

**e-start**

**1x industrial socket 32 A**



725 x 555 x 590 mm



4-stroke engine



	displacement	389 cm <sup>3</sup>		voltage	~230 V/12 V
	power output	13 HP*		weight	84 kg
	steady electrical output	5000 W		tank	25 l
	max. electrical output	5500 W			

## HECHT GG 8000

Machine panel equipped with:  
2x socket 230 V,  
1x 400 V, 1x 12 V

**e-start**

**folding handle**

**socket counter-parts included**



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



	displacement	420 cm <sup>3</sup>		voltage	~230 V / 400 V =12 V
	power output	14 HP*		noise level	98 dB
	steady electrical output	6500 W		tank	25 l
	max. electrical output	7000 W		weight	88 kg

## HECHT GG 10000

Machine panel equipped with:  
2x socket 230 V,  
1x 400 V, 1x 12 V

**e-start**

**folding handle**

**socket counter-parts included**



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



	displacement	459 cm <sup>3</sup>		voltage	~230 V / 400 V =12 V
	power output	16 HP*		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W			

## HECHT GG 1000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



430 x 370 x 290 mm



4-stroke engine



	displacement	53,5 cm <sup>3</sup>		voltage	~230 V/12 V
	power output	1,7 HP*		noise level	95 dB
	steady electrical output	900 W		tank	2,7 l
	max. electrical output	1000 W		weight	14 kg

## HECHT GG 2000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



550 x 480 x 320 mm



4-stroke engine



	displacement	105,7 cm <sup>3</sup>		voltage	~230 V/12 V
	power output	3 HP*		noise level	92 dB
	steady electrical output	1600 W		tank	3,5 l
	max. electrical output	2000 W		weight	22 kg

## HECHT 20 E



610 x 355 x 355 mm



	electric	230 V/50 Hz		tank volume	18 l
	power input	1000 W			

# VACUUM CLEANERS, PLATE COMPACTORS

## HECHT 008314

5 m hose for HECHT 8212, 8314, 8314 Z



Foam filter for HECHT 8212, nr. EKF 1005



CZ  
SK  
PL  
GB  
HU

445 x 321 x 323 mm

	electric	230 V/50 Hz		tank volume	20 l
	power input	1250 W			

## HECHT 8212 HECHT 8314

WET & DRY CLEANING



HEPA filter for HECHT 8314, 8314 Z, nr. EKF 1009



CZ  
SK  
PL  
GB  
HU

610 x 355 x 355 mm

	tank volume	230 V/50 Hz		tank volume	30 l
	power input	1400 W			



WET & DRY CLEANING

WET & DRY CLEANING



Bag filter for HECHT 8212, 8314, 8314 Z  
3 szt,  
nr. EKF 1001



CZ  
SK  
PL  
GB  
HU

610 x 355 x 355 mm

	tank volume	230 V/50 Hz		tank volume	30 l
	power input	1400 W			

## HECHT 8314 Z HECHT 1111



**With socket 230 V / 50 Hz**  
Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).



CZ  
SK  
PL  
GB  
HU

700 x 398 x 480 mm

	engine HECHT	OHV	Compaction pressure	11000 N
	displacement	163 cm <sup>3</sup>	Compaction depth	25 cm
	Dimensions of plate	530 x 370 mm		weight 63 kg



FOLDING WHEELS AND DAMPING PAD INCLUDED

steel chasis

## HECHT 1113



FOLDING WHEELS AND DAMPING PAD INCLUDED



CZ  
SK  
PL  
GB  
HU

700 x 442 x 485 mm

	engine HECHT	OHV	Compaction pressure	13000 N
	displacement	196 cm <sup>3</sup>	Compaction depth	30 cm
	Dimensions of plate	540 x 420 mm		weight 83 kg

## HECHT 1114



FOLDING WHEELS AND DAMPING PAD INCLUDED

Available from 4/17



CZ  
SK  
PL  
GB  
HU

700 x 442 x 485 mm

	engine HECHT	OHV	Compaction pressure	20000 N
	displacement	196 cm <sup>3</sup>	Compaction depth	35 cm
	Dimensions of plate	580 x 500 mm		weight 92 kg

# MIXERS, EARTH AUGER

## HECHT 2116

## HECHT 2140



770 x 690 x 440 mm



	electric	230 V/50 Hz		weight	43,5 kg
	power input	500 W		drum volume	120 l



	electric	230 V/50 Hz		weight	47 kg
	power input	550 W		drum volume	140 l

## HECHT 2180

## HECHT 2220

www.hecht.cz



770 x 680 x 520 mm



	electric	230 V/50 Hz		weight	71 kg
	power input	800 W		drum volume	180 l



	electric	230 V/50 Hz		weight	95 kg
	power input	1050 W		drum volume	220 l

## HECHT 1137

## HECHT 001135

Suitable for mixing coarse mixtures

## HECHT 001136D

Suitable for mixing fine mixtures



Suitable for mixing coarse mixtures, mixing fine mixtures needs a change of mixing tool

245 x 370 x 320 mm



	electric	230 V/50 Hz		tool diameter	120 mm
	power input	1400 W		tool height	590 mm
	no load speed	0-570/0-760 rpm		weight	3,5 kg

with mixing tool (connection M14)

## HECHT 52

Drilling auger bit  
150 mm included

### Drilling auger bits

Diameter	Part no.
100 mm	0043100
150 mm	0043150
200 mm	0043200
346 mm extension	0043346



	engine type	2-stroke engine		engine volume	52 cm <sup>3</sup>
	power output	1,8 kW*		rotation speed	160 / min.
	weight	13 kg		drilling depth	730 mm



760 x 480 x 410 mm



# TRANSPORTERS, CHARGERS

## HECHT 2630



1650 x 720 x 1150 mm

steel chassis



	engine HECHT	OHV		max load	300 kg
	displacement	196 cm <sup>3</sup>		weight	178 kg
Self propelled	3 gears forward, 1 backward		box dimensions	907 x 600 x 210 mm / 1004 x 860 x 210 mm	



WORKSHOP / TOOLS

## HECHT 2950



**002950**  
**Snow Blade**



1650 x 720 x 1100 mm

hydraulic lifting

steel chassis



	engine HECHT	OHV		max load	500 kg
	displacement	270 cm <sup>3</sup>		weight	270 kg
Self propelled	3 gears forward, 1 backward		box dimensions	1004 x 700 x 450 mm	



### HECHT 2012 smart battery charger

Available  
from 3/17

5 steps charging

Input cable length: 1,5 m  
Output cable length: 1,5 m



blister



	electric	230 V/50 Hz	for batteries	4-120 Ah
	power input	62 W	output	6V - 0,55A / 12V - 1A

BOOSTER  
JUST 5 MIN. CHARGING  
6 CHARGING STEPS, UP TO 15 A  
SHORT-CIRCUIT AND  
POLARITY PROTECTION



12-VOLT  
SOCKET FOR  
CONNECTING  
ACCESSORIES

### HECHT 2013 smart battery charger



230 x 155 x 230 mm



	power output	12V / 2-15 A	for batteries	4-300 Ah
	power input	230 V/50 Hz 220 W	weight	1,53 kg

# COMPRESSORS

**FUNCTIONS:**  
COMPRESSOR  
LIGHT  
WARNING FLASH LIGHT

## HECHT 2001

**Dimensions:**  
46 x 13 x 33 cm

## HECHT 2883



CAN BE PLUGGED IN THE CAR LIGHTER SOCKET

CE

⚡	electric	12 V	📏	weight	1 kg
⚡	current	10 A	⬇️⬇️⬇️	max. output pressure	17 bar

470 x 125 x 335 mm

CE

⚡	electric	230 V / 50 Hz	📏	Max suction power	180 l/min.
🔌	power input	1100 W	⬇️⬇️⬇️	max. output pressure	8 bar

470 x 125 x 335 mm

## HECHT 2026

## HECHT 2052



CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	24 l
🔌	power input	1,5 kW / 2 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	184 l/min.	📏	weight	25 kg

650 x 280 x 630 mm

CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	50 l
🔌	power input	1,5 kW / 2 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	184 l/min.	📏	weight	32 kg

740 x 315 x 640 mm



TWO OUTLETS



TWIN CYLINDER

## HECHT 2353



CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	50 l
🔌	power input	2,2 kW / 3 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	316 l/min.	📏	weight	44 kg

770 x 370 x 645 mm



# POWER TOOLS

## HECHT 1150



LED LIGHT

Charger included  
Charging indicator



210 x 58 x 163 mm

Adjustable head 60°



⚡	ACCU	3,6 V	chuck capacity	1/4" hex
🔋	battery	Li-ion 1,3 Ah	⚙️ max. torque	4 N.m
🌀	no load speed	180 rpm	📏 weight	0,41 kg

LED light, LED charging indicator, charger (3-5 h), set of bits, plastic carrying case

## HECHT 1153



LED LIGHT

Intergrated bit magazine

Charger included

Charging indicator



155 x 55 x 150 mm



⚡	ACCU	3,6 V	chuck capacity	1/4" hex
🔋	battery	Li-ion, 1,3 Ah	⚙️ max. torque	4 N.m
🌀	no load speed	0-180 rpm	📏 weight	0,5 kg

battery charger (3-5 h), 10 pcs screw bits, intergrated bit magazine

## HECHT 1260



LED LIGHT

Charger included



222 x 67 x 213 mm



⚡	ACCU	10,8 V	chuck capacity	0,8-10 mm
🔋	battery	Li-ion, 1,5 Ah	⚙️ max. torque	20 N.m
🌀	no load speed	0-350/0-1350 rpm	📏 weight	1 kg

2 speed, with battery, charger (3-5 h), charging base

## HECHT 1215



LED LIGHT

Quick charger 1 h

Charger 001215CH

Charging indicator

Battery 001215B



295 x 95 x 230 mm



⚡	ACCU	12 V	chuck capacity	0,8-10 mm
🔋	battery	Li-ion, 1,5 Ah	⚙️ max. torque	20 N.m
🌀	no load speed	0-350/0-1350 rpm	📏 weight	1,05 kg

2 speed, with battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

## HECHT 1223



Quick charger 1 h

LED LIGHT

Charging indicator

Charger 001223CH

2x Battery 001223B



295 x 95 x 230 mm



⚡	ACCU	20 V	chuck capacity	0,8-10 mm
🔋	battery	Li-ion, 1,3 Ah	⚙️ max. torque	25 N.m
🌀	no load speed	0-350/0-1250 rpm		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

## HECHT 1277



Quick charger 1 h

LED LIGHT

Charging indicator

**ACCU program 1278**

Charger 001277CH

2x Battery 001277B



230 x 295 x 95 mm



⚡	ACCU	20 V	chuck capacity	0,8-10 mm
🔋	battery	Li-ion, 1,5 Ah	⚙️ max. torque	25 N.m
🌀	no load speed	0-350/0-1250 rpm	📏 weight	1,4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

# POWER TOOLS

## HECHT 1278



- CZ
- SK
- PL
- GB
- HU

230 x 295 x 95 mm

	ACCU	20 V	chuck capacity	2-13 mm
	battery	Li-ion, 1,5 Ah	impact rate	0-525/0-18750
	no load speed	0-350/0-1250 rpm	weight	1,54 kg
	max. torque	35 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

**ACCU program 1278**

Charger 001278CH  
2x Battery 001277B

CE

## HECHT 1288



- CZ
- SK
- PL
- GB
- HU

339 x 90 x 240 mm

	ACCU	20 V	chuck capacity	2-13 mm
	battery	Li-ion, 1,5 Ah	impact rate	0-6000/0-22500
	no load speed	0-400/0-1500 rpm	weight	1,49 kg
	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder

**PROFI TOOL**

**60 N.m**

Charger 001288CH  
2x Battery 001288B

CE

## HECHT 1065



- CZ
- SK
- PL
- GB
- HU

300 x 220 x 80 mm

	electric	230 V/50 Hz	drilling capacity - steel	10 mm
	power input	650 W	drilling capacity - concrete	13 mm
	no load speed	0-2800 rpm	drilling capacity - wood	20 mm
	impact rate	0-50400 rpm	weight	1,58 kg

variable speed, auxiliary handle, depth gauge

CE

## HECHT 1075



- CZ
- SK
- PL
- GB
- HU

320 x 230 x 80 mm

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	750 W	drilling capacity - concrete	13 mm
	no load speed	0-3000 rpm	drilling capacity - wood	25 mm
	impact rate	0-54000 rpm		

variable speed, with keyless chuck, auxiliary handle, depth gauge

CE

## HECHT 1076



- CZ
- SK
- PL
- GB
- HU

320 x 230 x 80 mm

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	950 W	drilling capacity - concrete	13 mm
	no load speed	0-3000 rpm	drilling capacity - wood	25 mm
	impact rate	0-54000 rpm		

variable speed, with keyless chuck, auxiliary handle, depth gauge

CE

## HECHT 1112



- CZ
- SK
- PL
- GB
- HU

395 x 270 x 95 mm

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	1200 W	max. chuck size	13 mm
	no load speed	0-1200/0-2800 rpm	weight	3.4 kg

variable speed, auxiliary handle, depth gauge

CE

# POWER TOOLS

## HECHT 1080



305 x 380 x 105 mm

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	800 W	drilling capacity - concrete	26 mm
	no load speed	0-1000 rpm	drilling capacity - wood	42 mm
	impact rate	0-5000 rpm	weight	3,1 kg

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

## HECHT 1028



380 x 320 x 120 mm

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case

## HECHT 1069



450 x 385 x 132 mm

	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	9 J
	impact rate	3530 rpm	weight	7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

## HECHT 000996 Set of drill bits for wood 8 pcs

Ø: 3; 4; 5; 6; 7; 8; 9; 10 mm



## HECHT 000995 Set of drill bits for concrete 5 pcs

Ø: 4; 5; 6; 7; 8 mm



## HECHT 000998 Set of drill bits 19 pcs

drill bits - Ø: 1; 1,5; 2; 2,5; 3; 3,5; 4; 4,5; 5; 5,5; 6; 6,5; 7; 7,5; 8; 8,5; 9; 9,5; 10 mm, metal box



## HECHT 2005 tool set 49 pcs



**Suitable for workshop or car**

**Standard accessory:** screwdrivers, precision screwdrivers, double open wrenches, hand saw with 2 blades, utility cutter, cutter blades, 6" combination pliers, bits holder, 250 V electricity tester, hex keys, 10" water pump pliers, 200g machinist hammer, 3m measuring tape, 25 bits, adaptor, BMC

735 x 130 x 155 mm



**LEG FRAME 30X30 MM**

## HECHT 0003

**BAMBOO WORKING DESK**

**FOLDING**



dimensions 62,5 x 60,5 x 75,5 cm  
 max. load capacity 100 kg

# ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



You buy a drill HECHT 1277 or HECHT 1278 to have no longer to re-buy batteries for other products.

**001278B**  
spare battery 3 Ah  
for HECHT 1277 and 1278

**001277B**  
spare battery 1,5 Ah  
for HECHT 1277 and 1278

**001277CH**  
charger for HECHT 1277 and 1278

## HECHT 1670 accu circular saw

no load speed	0-4200 rpm
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg

Battery not included



310 x 225 x 285 mm

**HECHT 001670**  
saw blade for wood  
24 teeth, 150x10x1,6 mm



AC LASER

**8in 1**  
(8 products with 1 battery)  
**HECHT 1277 o**



## HECHT 1720 accu rotary sander

no load speed	5000 / 7000 / 9000 rpm
baseboard size Ø	125 mm
weight	1,1 kg

Battery not included



182 x 128 x 168 mm

## HECHT 1510 accu reciprocating saw

no load speed	0-3000 rpm
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2,11 kg

Battery not included



405 x 85 x 185 mm



**HECHT 001726**  
sandpaper roughness 60

**HECHT 001728**  
sandpaper roughness 80

**HECHT 001720**  
sandpaper roughness 120

# ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



## HECHT 1320 accu angle grinder

no load speed	8500 rpm
disc size	115 mm
sprindle thread	M14
weight	1,7 kg



Battery not included



350 x 135 x 110 mm

including  
2 batteries  
and charger  
in package

for HECHT 1278



## HECHT 1255 accu impact wrench

no load speed	0-2200 rpm
max. torque	150 N.m
chuck capacity	1/4" mm
weight	1,18 kg



Battery not included



195 x 83 x 195 mm

## HECHT 1531 accu jigsaw



Battery not included



229 x 86 x 215 mm

no load speed	0-2400 rpm
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg

## HECHT 1707 accu LED light

LED 9 diod	2,2 W
LED light intensity	40 lumen
time of lighting ca	18 h
weight	293 g



Battery not included



125 x 85 x 210 mm



# POWER TOOLS

## HECHT 1540



210 x 250 x 78 mm



	electric	230 V/50 Hz	cutting depth - wood	55 mm
	power input	400 W	cutting depth - steel	6 mm
	no load speed	3000 rpm	weight	1,75 kg

with saw blade, hex key

## HECHT 1568



283 x 85 x 225 mm



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	8 mm
	no load speed	800-3000 rpm	weight	2,31 kg

with saw blade, dust adaptor, guide fence

## HECHT 1569

AC LASER LED LIGHT



	electric	230 V/50 Hz	cutting depth - wood	80 mm
	power input	810 W	cutting depth - steel	10 mm
	no load speed	800-3000 rpm	weight	2,38 kg

with saw blade, dust adaptor, guide fence

## 000989

saw blades for metal  
for jigsaws 5 pcs




www.hecht.cz



286 x 85 x 225 mm

### Standard accessories



## HECHT 1630



355 x 266 x 95 mm



	electric	230 V/50 Hz	Quick Change Multi-function Tool	
	power input	300 W		no load speed 15000 - 22000 rpm

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case

### Available accessories

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades

# POWER TOOLS

## HECHT 1372

**Quick-release disc guard**



330 x 130 x 120 mm

Available from 4/17



	electric	230 V/50 Hz	disc size	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

## HECHT 1389

**Quick-release disc guard**



325 x 140 x 120 mm



	electric	230 V/50 Hz	disc size	115 mm
	power input	900 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,15 kg

auxiliary handle, wrench, the grindstone is not included

## HECHT 1390



330 x 140 x 120 mm



	electric	230 V/50 Hz	disc size	125 mm
	power input	900 W	sprindle thread	M14
	no load speed	10500 rpm	weight	2,36 kg

auxiliary handle, wrench, the grindstone is not included

**Quick-release disc guard**

## HECHT 1309



440 x 140 x 130 mm



	electric	230 V/50 Hz	disc size	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

## HECHT 1314

**Quick-release disc guard**



510 x 115 x 150 mm

Available from 4/17



	electric	230 V/50 Hz	disc size	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	8600 rpm	weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included

## HECHT 1318



530 x 114 x 160 mm



	electric	230 V/50 Hz	disc size	180 mm
	power input	1800 W	sprindle thread	M14
	no load speed	8000 rpm	weight	4,48 kg

auxiliary handle, wrench, the grindstone is not included

**Quick-release disc guard**

**Soft start**



**Rotary handle**



565 x 165 x 125 mm

	electric	230 V/50 Hz	disc size	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

CE

**000994**  
diamond blade 115 mm



**000993**  
diamond blade 125 mm



**000992**  
saw blade 185 x 20 x 40T

**000991**  
saw blade 185 x 20 x 60T

## HECHT 1726



290 x 185 x 205 mm

	electric	230 V/50 Hz	disc size	150 mm
	power input	150 W	disc hole diameter	12,7 mm
	no load speed	2960 rpm	weight	4,3 kg

spark guard, workpiece support

CE

## HECHT 1727

## HECHT 1728

**Wet&Dry grinding**



355 x 240 x 280 mm

	electric	230 V/50 Hz	disc size	200 mm
	power input	350 W	disc hole diameter	16 mm
	no load speed	2960 rpm	weight	8,5 kg

spark guard, workpiece support

CE



420 x 260 x 265 mm

	electric	230 V/50 Hz	disc size (dry grinding)	150 mm
	power input	250 W	disc size (wet grinding)	200 mm
	no load speed	2960 rpm	weight	8 kg

spark guard, workpiece support

CE



# POWER TOOLS

**000176060**  
sandpaper for HECHT 1760  
3 pcs, roughness 60

**000176080**  
sandpaper for HECHT 1760  
3 pcs, roughness 80

**000176020**  
sandpaper for HECHT 1760  
3 pcs, roughness 120



338 x 126 x 247 mm



	electric	230 V/50 Hz	baseboard size	140 X 80 mm
	power input	220 W		weight
	no load speed	13000 rpm		2 kg

sandpaper, plastic dust container

## HECHT 1760

**000176260**  
sandpaper for HECHT 1762  
5 pcs, roughness 60

**000176280**  
sandpaper for HECHT 1762  
5 pcs, roughness 80

**000176220**  
sandpaper for HECHT 1762  
5 pcs, roughness 120



338 x 126 x 247 mm



	electric	230 V/50 Hz	baseboard size	187 X 90 mm
	power input	220 W		weight
	no load speed	12000 rpm		1,66 kg

sandpaper, plastic dust container

## HECHT 1762

**000176460**  
sandpaper for HECHT 1762  
5 pcs, roughness 60

**000176480**  
sandpaper for HECHT 1762  
5 pcs, roughness 80

**000176420**  
sandpaper for HECHT 1762  
5 pcs, roughness 120



305 x 130 x 190 mm



	electric	230 V/50 Hz	no load orbital stroke rate	26000 rpm
	power input	450 W	baseboard size	Ø 125 mm
	no load speed	13000 rpm		weight
				2 kg

sandpaper, plastic dust container

## HECHT 1764

**0001781060**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 60

**0001781080**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 80

**0001781120**  
sandpaper for HECHT 1781  
5 pcs, 533 x 76 mm, roughness 120



353 x 160 x 165 mm



	electric	230 V/50 Hz	sanding size	140 X 76 mm
	power input	810 W	sanding belt	533 x 76 mm
	no load speed	380 rpm		weight
				3,2 kg

sanding belt, dust bag

## HECHT 1781



188 x 340 x 167 mm



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accessories box (key, allen key), guide fence	

## HECHT 1790

## HECHT 001790 Upside down table for HECHT 1790



315 x 185 x 230 mm

# POWER TOOLS

001060A 2 pcs blade for wood  
001060D 2 pcs blade for aluminium  
001060C 2 pcs diamond blade



## HECHT 1066



532 x 142 x 234 mm

	electric	230 V/50 Hz	blade diameter	89 mm
	power input	705 W	max. cutting depth	28,5 mm
	no load speed	4500 rpm	weight	2,55 kg

3 blades, guide fence, hex key, dust adapter

## HECHT 1618



### 001618

Blade for HECHT 1618  
blade diameter 185 mm



190 x 330 x 250 mm

	electric	230 V/50 Hz	blade diameter	185 mm
	power input	1300 W	max. cutting depth	65 mm
	no load speed	5000 rpm	weight	4 kg

with saw blade, guide fence

## HECHT 1615

Available from 3/17



With LASER AC

HECHT 001615  
Blade for HECHT 1615  
blade diameter 185 mm



360 x 245 x 265 mm

	electric	230 V/50 Hz	blade diameter	185 mm
	power input	1500 W	max. cutting depth	65 mm
	no load speed	5500 rpm	weight	5,26 kg

with saw blade

## HECHT 1619

With LASER AC



### 001619

Blade for HECHT 1619  
blade diameter 190 mm



190 x 343 x 252 mm

	electric	230 V/50 Hz	blade diameter	190 mm
	power input	1600 W	max. cutting depth	63 mm
	no load speed	5000 rpm	weight	4,6 kg

with saw blade, guide fence

www.hecht.cz



blade for wood and steel included

## HECHT 1570



480 x 80 x 190 mm

	electric	230 V/50 Hz	cutting depth - wood	115 mm
	power input	710 W	cutting depth - steel	5 mm
	no load speed	0-2500 rpm	weight	2,74 kg

# POWER TOOLS, ELECTRIC HEATER

## HECHT 814



Mitre saw with laser



490 x 300 x 290 mm



⚡	electric	230 V/50 Hz	No load speed	5000 rpm
⚡	power input	1400 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 210 mm	Mitre cuts	0° to 45° to the left

## HECHT 818

Double bevel



Mitre saw with AC laser



725 x 455 x 390 mm



⚡	electric	230 V/50 Hz	No load speed	5000 rpm
⚡	power input	1800 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 210 mm	Mitre cuts	0° to 45° to the left and right

## HECHT 8199 PROFI



Mitre saw with AC laser



740 x 540 x 430 mm



⚡	electric	230 V/50 Hz	No load speed	4700 rpm
⚡	power input	1900 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 255 mm	Mitre cuts	0° to 45° to the left

## 003180

termostat with remote control for HECHT 3180, 3240



1580 x 250 x 145 mm



⚡	electric	230 V/50 Hz	heating area - covered	30 m <sup>2</sup>
⚡	power input	2400 W	dimensions	150 x 19 x 6,7 cm
👤	weight	9,7 kg		

## HECHT 3240



## DIESEL WITH THERMOSTAT AUTOMATIC SHUTDOWN



805 x 335 x 440 mm



⚡	electric	230 V/50 Hz	heating area	166 m <sup>2</sup>
⚡	power output	20 kW	thermal performance	70 000 Btu
🛢	fuel tank capacity	19 l	consumption	2 l/h

## REMOTE CONTROL



895 x 135 x 525 mm



⚡	electric	230 V/50 Hz	dimensions	220 x 230 x 772
⚡	power input	2000 W	airflow	80 m <sup>3</sup> /h
👤	weight	4,5 kg	setting	1200 / 2000 W

## HECHT 3610



ROTARY LCD DISPLAY

CAN BE USED AS A VENTILATOR

CERAMIC HEATER ELEMENT

# POWER TOOLS

## HECHT 1811

electric	230V/50 Hz
power input [W]	40
glue stick Ø [mm]	11



CZ  
 SK  
 GB  
 DE  
 PL  
 double blister



Available from 4/17

## HECHT 1816

Electrode welder - inverter



CZ  
 SK  
 PL  
 GB  
 HU  
 428 x 221 x 287 mm



## HECHT 1812

electric	230V/50 Hz
power input [W]	80
glue stick Ø [mm]	11,2



Cordless work thanks to heat accumulation  
 CZ  
 SK  
 GB  
 DE  
 PL  
 HU  
 270 x 238 x 73 mm



input capacity	6,4 KVA	electrode diameter	1 - 4 mm
welding current	20 - 160 A	weight	5 kg
welding voltage	26,4 V	electrode holder	
duty cycle	160 A - 40 % , 124 A - 60 % , 80 A - 100 %		

## HECHT 1817

Electrode welder - inverter



CZ  
 SK  
 PL  
 GB  
 HU



CZ  
 SK  
 PL  
 GB  
 HU  
 428 x 221 x 287 mm



## HECHT 1820

Electrode welder - inverter



200 A



input capacity	7,5 KVA	electrode diameter	1 - 4 mm
welding current	20 - 200 A	weight	6,4 kg
welding voltage	27,2 V	electrode holder	
duty cycle	200 A - 40 % , 155 A - 60 % , 126 A - 100 %		

## HECHT 900201

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

## HECHT 900221

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

## HECHT 900241

Welding shield



CZ  
 SK  
 PL  
 GB  
 HU  
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

# OUTER LED LIGHTS

## HECHT 2020



Accessories  
nr. 002020 for HECHT  
2020, 2021, 2200



293 x 280 x 95 mm



⚡	electric	230 V /50 Hz	temperature setting	350 / 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,6 kg		

## HECHT 2021



Adjustable  
temperature  
setting 80-600 °C



270 x 235 x 76 mm



⚡	electric	230 V /50 Hz	temperature setting	80 - 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,9 kg		

## HECHT 2200



Available  
from 4/17

Display



Adjustable  
temperature  
setting 80-600 °C



105 x 105 x 45 mm



⚡	electric	230 V /50 Hz	temperature setting	80 / 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,7 kg		

## HECHT 2801

LED light



## HECHT 2802

LED light



## HECHT 2803

LED light



⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	10 W	light intensity	750 lm
	dimensions		130 x 90 x 34 mm	

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	20 W	light intensity	1500 lm
	dimensions		180 x 126 x 36 mm	

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	30 W	light intensity	2400 lm
	dimensions		210 x 147 x 37 mm	

## HECHT 2811

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	10 W	light intensity	750 lm
	dimensions		130 x 90 x 34 mm	

remote control



## HECHT 2812

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	20 W	light intensity	1500 lm
	dimensions		180 x 126 x 36 mm	

remote control



## HECHT 2813

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	30 W	light intensity	2250 lm
	dimensions		210 x 147 x 37 mm	

remote control



## HECHT 2815

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	50 W	light intensity	3750 lm
	dimensions		260 x 182 x 51 mm	

remote control



# GARDEN GRILLS

## HECHT BALL


Suitable for sheltered garden areas.

- stainless steel
- ash catcher
- height: 100 cm
- width: 65 x 59 cm



Suitable for sheltered garden areas.


- steel plate
- adjustable charcoal grid
- warming rack
- ash catcher
- thermometer
- height: 94 cm
- width: 56 x 69 cm



## HECHT MERIDA


Suitable for sheltered garden areas.

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- chrome plated cooking grill
- height: 92 cm
- diameter: 53,5 cm



Optional alloy grid HECHT 500 11

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- ash catcher



## HECHT KUGELGRILL

Suitable for sheltered garden areas.



- height: 116 cm
- width: 60 x 98 cm


## HECHT SENTINEL MINOR

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



**Steel 1 mm**



Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer



**Steel 1 mm**



## HECHT SENTINEL



Optional grill cover HECHT 0001058



# GARDEN GRILLS

## HECHT SENTINEL LUX

Suitable for sheltered garden areas and exteriors.

**Steel 1,2 mm**

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



710 x 520 x 510 mm

## HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.

**Steel 1,5 mm**

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



1085 x 505 x 515 mm

## HECHT STEAMROLLER



Optional alloy grid  
HECHT 000666

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer



710 x 510 x 520 mm



**Steel 1,5 mm**

## HECHT SMOKEHOUSE

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer

**Steel 1,5 mm**



755 x 505 x 515 mm



Gas grill - suitable for sheltered garden areas and exteriors.

- 3 burners
- 2x enamel wire grills

Cover 003101C



835 x 625 x 310 mm



## HECHT CONTACT

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 4 burners
- 1 x enamel mat cast iron grill
- + 1 x mat enamel cast cooking plate

Cover 004205C



740 x 730 x 525 mm




## HECHT ADELLE

Not intended for D and PI

Optional grill rack 004205M



Standard accessory



# GARDEN FURNITURE

**Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.**

## EKONOMY SET 4

**Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.**

## EKONOMY SET 6



Table: L 141 x W 91 x H 73 cm /  
Chair: L 55 x W 76 x H 96 cm

Maximum load: 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm



Table:  
1420 x 920 x 70 mm



Maximum load: 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm

Table: L 141 x W 91 x H 73 cm /  
Chair: L 55 x W 76 x H 96 cm

Table:  
1420 x 920 x 70 mm

**Aluminium construction and tempered glass. Suitable for sheltered garden areas.**

## SOFIA SET 4

**Aluminium construction and tempered glass. Suitable for sheltered garden areas.**

## SOFIA SET 6



Table: L 150 x W 90 x H 73 cm /  
Chair: L 55 x W 75 x H 95 cm

Maximum load: Chair 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm



Table:  
1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable:  
570 x 800 x 2300 mm

Table: L 150 x W 90 x H 73 cm /  
Chair: L 55 x W 75 x H 95 cm

Table:  
1520 x 920 x 70 mm

**Aluminium construction and tempered black glass. Suitable for sheltered garden areas.**

## HONEY SET 6

**Aluminium construction and tempered black glass. Suitable for sheltered garden areas.**

## HONEY SET MAXI



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 150 x W 90 x H 72 cm /  
Chair: L 58 x W 74 x H 97 cm



Table: 1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 168 x W 97 x H 72 cm /  
Chair: L 57 x W 86 x H 111 cm



Table: 1700 x 70 x 980 mm



# GARDEN FURNITURE

## HECHT GRAPHITE SET

Aluminium construction, wood imitation. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL



Chair stackable



Table: 1520 x 80 x 1520 mm

## HECHT BIER SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL



1450 x 690 x 1300 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

A set of table with 6 chairs and parasol included.

Folding chairs  
Parasol 270 cm,  
8 steel ribs,  
steel frame



CZ  
SK  
PL  
GB  
DE  
HU



Chair: (2 pcs. in box)  
870 x 570 x 250 mm



Table:  
1520 x 920 x 70 mm



Parasol:  
1400 x 150 x 150 mm

## SHADOW SET

## HECHT BALCONY SET A

Hard wood Acacia. Suitable for sheltered garden areas.



CZ  
SK  
GB  
DE  
PL

Maximum load: Chair 160 kg

970 x 860 x 140 mm

Table: L 60 x W 60 x H 72 cm /  
Chair: L 40 x W 53 x H 80 cm

Tropical hard wood Meranti. Suitable for sheltered garden areas.

## HECHT WEEKEND SET



CZ  
SK  
PL  
GB  
DE  
HU

Maximum load: Chair 150 kg / Bench 300 kg

Bench:  
2021 x 571 x 226 mm

Chair: (2 pcs. in box)  
2015 x 570 x 225 mm

Table: L 150 x W 90 x H 74 cm /  
Chair: L 60 x W 61 x H 93 cm /  
Bench: L 120 x W 60 x H 93 cm

Table:  
2017 x 570 x 225 mm

# GARDEN FURNITURE

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT BASIC SET 4

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT BASIC SET 6



1 CHAIR  
CO03A6F



Maximum load: Chair 160 kg

Chair: (2 pcs. in box)  
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /  
Chair: L 53 x W 57 x H 86 cm



Table:  
1235 x 1160 x 280 mm



Table: L 120 x W 75 x H 72 cm /  
Chair: L 53 x W 57 x H 86 cm



Chair: (2 pcs. in box)  
1190 x 560 x 210 mm



Table:  
1235 x 1160 x 280 mm

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT NARROW SET

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT ROUNDED SET



Maximum load: Chair 160 kg

Chair: (2 pcs. in box)  
650 x 530 x 255 mm

Table: L 165 x W 100 x H 75 cm /  
Chair: L 61,5 x W 63 x H 95 cm



Table:  
1690 x 1040 x 120 mm

Hard wood Acacia.  
Suitable for sheltered  
garden areas.

## HECHT LEADER SET

Hard wood Acacia.  
Suitable for  
sheltered  
garden areas.

## HECHT CAMBERET SET



P015



Table: L 200/150 x W 100 x H 74 cm /  
Chair: L 61 x W 77 x H 106 cm

Maximum load: Chair 160 kg

Chair: (6 pcs. in box)  
930 x 630 x 150 mm



Table:  
1530 x 1030 x 170 mm



Table: L 200/150 x W 100 x H 74 cm /  
Chair: L 58 x W 68 x H 110 cm

Maximum load: Chair 160 kg

Chair: (1 pcs. in box)  
1030 x 610 x 170 mm



Table:  
1520 x 1020 x 150 mm

# GARDEN FURNITURE

**Hard wood Acacia.  
Suitable for  
sheltered  
garden areas.**

## HECHT ROYAL SET



**Massive construction  
Table desk  
thickness cca 4 cm**

**Folding table - 3 different sizes**



Maximum load: Chair 160 kg

Chair: (1 pcs. in box)  
1030 x 610 x 170 mm



Table:  
1835 x 1185 x 215 mm

Table: L 180/280 x W 115 x H 76 cm /  
Chair: L 58 x W 68 x H 110 cm

## HECHT RELAXING CHAIR

**Made from steel pipes.  
Not suitable for wet  
places.**



**Weight: 12,5 kg  
Dimensions: 1400 x 770 x 1060 mm  
Material: PP**

## HECHT 0001 19



Maximum load: Chair 120 kg

960 x 150 x 650 mm



Maximum load: 120 kg

1030 x 780 x 240 mm

## SOFIA LOUNGER

**Aluminium construction.  
Suitable for sheltered  
garden areas.**



**Aluminium construction.  
Suitable for sheltered  
garden areas.**



Maximum load: 120 kg



Maximum load: 120 kg

## HONEY LOUNGER

# GARDEN FURNITURE

## HECHT RESORT I

**Tropical hard wood Meranti.**  
Suitable for sheltered garden areas.



Maximum load: 120 kg  
1820 x 625 x 90 mm

## HECHT RESORT A

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg  
2030 x 630 x 90 mm

## HECHT ERA

**Tropical hard wood Meranti.**  
Suitable for sheltered garden areas.



Maximum load: 250 kg  
2018 x 571 x 268 mm

## HECHT COMFORT

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg  
1960 x 660 x 120 mm

## HECHT CAMBERET LOUNGER

**Hard wood Acacia.**  
Suitable for sheltered garden areas.



Maximum load: 160 kg  
955 x 615 x 195 mm

### 88276

Dimensions:  
46 x 4 x 109 cm



### 88275

Dimensions:  
46 x 4 x 46 cm



Suitable for:  
Occasional Bench  
Manton Set  
Chicago Set  
Gallery Set  
Balcony  
Dynasty Set

### 88919

Dimensions:  
55 x 4 x 178 cm



Suitable for:  
Resort I

### 88278

Dimensions:  
47 x 4 x 109 cm



Suitable for:  
Dynasty Set, Prague Set  
Grandeur Set, Revo Set  
Boston Set, Rectangle Set


# GARDEN FURNITURE

## HECHT TEEBENCH

Tropical hard wood Meranti.  
Suitable for sheltered garden areas.



Maximum load: 150 kg per side


 1970 x 560 x 267 mm

## HECHT CLASSIC

Hard wood Acacia.  
Suitable for sheltered garden areas.



Maximum load: 300 kg

 1610 x 630 x 140 mm

## HECHT WOODBENCH


Hard wood Acacia.  
Suitable for sheltered garden areas.

Available from 3/17



## HECHT TABLE BENCH




 1630 x 640 x 110 mm

## HECHT TOYBOX

Tropical hard wood Meranti.  
Suitable for sheltered garden areas.



Maximum load: 150 kg


 1960 x 556 x 266 mm



Hard wood Acacia.  
Suitable for sheltered garden areas.

## HECHT SPACE



 1220 x 600 x 180 mm

# GARDEN FURNITURE

## HECHT ROSE

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 300 kg

1640 x 580 x 110 mm

## HECHT COUNTRY

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 300 kg

1700 x 620 x 150 mm

## HECHT S TROLLEY

Hard wood Acacia.  
Suitable for sheltered  
garden areas.



Maximum load: 50 kg

1040 x 450 x 120 mm

Tropical hard  
wood Meranti.  
Suitable for sheltered  
garden areas.



Maximum load: 120 kg

1070 x 560 x 170 mm

## HECHT SERVING

www.hecht.cz

## HECHT DREAM PINK

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

## HECHT DREAM R

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

## HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet  
places.



1280 x 760 x 380 mm

# GARDEN SWINGS

## HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.  
Not suitable for wet places.



CZ  
SK  
PL  
GB  
DE  
HU

1280 x 760 x 380 mm

## BERLIN



Maximum load: 240 kg

Made from steel pipes.  
Suitable for sheltered garden areas.  
Not for wet places.



CZ  
SK  
PL  
GB  
DE  
HU

1925 x 685 x 230 mm

## BERLIN D



Maximum load: 240 kg

Made from steel pipes.  
Suitable for sheltered garden areas.  
Not for wet places.



CZ  
SK  
PL  
GB  
DE  
HU

1925 x 685 x 230 mm

## HECHT FUTON

Available from 4/17



CZ  
SK  
PL  
GB  
DE  
HU



## HECHT MONTE CARLO

Tropical hard wood Meranti.  
Suitable for covered garden areas.

Available from 4/17



Suitable for sheltered garden areas.

Maximum load: 200 kg



CZ  
SK  
GB  
DE  
PL

2000 x 1630 x 370 mm

## HECHT BAHARU LUX

Tropical hard wood Meranti.

Available from 3/17

Suitable for covered garden areas.

2 positions:  
bench or bed



Maximum load: 300 kg



CZ  
SK  
PL  
GB  
DE  
HU

2334 x 571 x 228 mm

# GARDEN SWINGS, PARASOLS

## SUNSET

cross-section



Diameter: 240 cm  
No. of struts: 6  
Height: 2 m  
Without base



1340 x 150 x 150 mm

## SHADOW

cross-section




Diameter: 270 cm  
No. of struts: 8  
Height: 2,2 m  
Without base



1400 x 150 x 150 mm

## SANDY 1

cross-section




Diameter: 250 cm  
No. of struts: 6  
Diameter of rod rack: 4,8 cm  
Polyester 180 g/m<sup>2</sup>  
Base 100 x 100 cm



1850 x 335 x 135 mm

cross-section



Diameter: 300 cm  
No. of struts: 8  
Diameter of rod rack: 4,8 cm  
Polyester 180 g/m<sup>2</sup>  
Base 100 x 100 cm




2010 x 355 x 135 mm

## SUNNY

www.hecht.cz

## SOL



Diameter: 350 cm  
No. of struts: 8  
Polyester 210 g/m<sup>2</sup>  
Base 100 x 100 cm



2700 x 440 x 180 mm



cross-section

Opening by handle



Rotating base





# GARDEN SHEDS, LED LIGHTS

## ANCHOR SET 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



890 x 570 x 480 mm

## HECHT 4X6 PLUS

(dark grey)

**GARDEN SHED,  
BASE INCLUDED (0,6 mm ZINC STEEL)**



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1950 x 200 x 120 mm

257 x 205 x 212 cm (L X W X H)

## HECHT 6X8 PLUS

(dark grey)



**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

0,3 mm board, 0,6 mm zinc steel frame

109 x 184 x 181 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 8X8 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 90 mm,  
1330 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

259 x 257 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 10X8 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1580 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**

257 x 312 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 10X10 PLUS

(dark grey)



**GARDEN SHED,  
BASE INCLUDED  
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,  
1580 x 200 x 170 mm

**0,3 mm BOARD  
(20 % MORE THAN  
OTHER PRODUCERS)**


315 x 315 x 217,5 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

## HECHT 5001

**Solar powered  
mole scarer**

solar voltage 1,2 V  
signal range ca 30 m  
Interval 30 s



cca 38 cm



390 x 100 x 85 mm

## HECHT 2706


voltage 1,2 V  
solar



10 PCS in BOX  
390 x 170 x 100 mm

## HECHT 2193

voltage 1,2 V  
solar



cca 30 cm



12 PCS in BOX  
310 x 100 x 235 mm

# GARDEN POOLS, INFLATABLE POOLS

## HECHT 3590 BLUESEA

Family pool of solid construction

Available from 4/17



dimensions	350 x 90 cm	foil thickness	0,3 mm
volume	7200 l	wall thickness	0,3 mm
package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic)			

## HECHT 3612 BLUESEA

Family pool of solid construction

Available from 4/17



dimensions	360 x 120 cm	foil thickness	0,4 mm
volume	10 680 l	wall thickness	0,4 mm
package contains: pool, foil			

## HECHT 3076 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit and cartridge filtration included			

Cartridge filtration



330 x 250 x 580 mm

## HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			



445 x 265 x 520 mm

## HECHT 520427

inflatable paddling pool



CE



dimensions	190 x 145 x 45 cm	for children aged 6+ years
volume	450 l	wall thickness 0,27 mm
bicameral, strong construction, material PVC without phthalates, repair kit included		



320 x 270 x 100 mm

## HECHT 520421

inflatable paddling pool



dimensions	262 x 175 x 51 cm	for children aged 6+ years
volume	778 l	wall thickness 0,27 mm
bicameral, strong construction, material PVC without phthalates, repair kit included		



440 x 340 x 110 mm

# POOL ACCESSORIES

## HECHT 00090

Ladders for pools

height [cm] 90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



390 x 115 x 650 mm

## HECHT 00122

Ladders for pools

height [cm] 122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



445 x 115 x 890 mm

## HECHT 016123

Underlay pad for pools

dimensions [cm] 309x309

material PE [g/m²] 90

Available from 4/17



250 x 90 x 250 mm

## HECHT 30003

Skimmer

hose coupler [mm] 32/38

Complete mounting kit

Available from 4/17



## HECHT 003609

Cartridge filtration

voltage [V] 220-240

water flow [m³/hod] 1,2

hose coupler [mm] 32

Complete mounting kit

Available from 4/17



230 x 230 x 115 mm

## 029587



Replacement filters for cartridge filtration 2 pcs

## HECHT 302110

10" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

## HECHT 302231

10" Sand filtration without prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

## HECHT 302112

12" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 42

water flow [m³/hod] 7

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



440 x 590 x 470 mm

# POOL ACCESSORIES

**HECHT 060501**

THERMOMETER



**HECHT 060504**

FLOATING THERMOMETER



**HECHT 060510**

THERMOMETER



**HECHT 060512**

THERMOMETER



**HECHT 060104**

TRIANGULAR VACUUM CLEANER  
30 cm



**HECHT 060102**

VACUUM CLEANER DE LUX  
with side brushes



**HECHT 060301**

LEAF SKIMMER  
for surface-collecting debris



**HECHT 060302**

LEAF SKIMMER  
for surface-collecting debris



**HECHT 060308**

LEAF SKIMMER  
for deep-collecting debris




**HECHT 060309**

LEAF SKIMMER  
for deep-collecting debris  
(reinforced frame)



**HECHT 060307**

LEVEL SKIMMER  
ON ALUMINUM ROD  
length 1,3 m,  
telescopic



**HECHT 060402**

TELESCOPIC ROD  
three parts 1,2 - 3,6m



**HECHT 060203**

BRUSH  
for removing dirt from the  
bottom and the edges  
Dimension: 25 cm



**HECHT 060205**

BRUSH  
for removing dirt from the  
bottom and the edges  
Dimension: 45 cm



**HECHT 060702**

FLOATING CHLORINE  
DISPENSER  
(medium) 20g / 200g



**HECHT 060703**

FLOATING CHLORINE  
DISPENSER  
200g



**HECHT 061002**

POOL SERVICE KIT  
4 pcs



**HECHT 060607**

TEST STRIPS 4IN1



**HECHT 061210**

REPAIR KIT  
including glue and patches



**HECHT 060601**

TESTER PH/CL  
basic set for measuring  
pH / CL in pool water



# INFLATABLE TOYS, WATER GUNS

## HECHT 000036

Covering tarp  
Available  
from 4/17



250 x 90 x 250 mm

diameter 360 cm material PE 90 g/m<sup>2</sup>

Drainage holes, pulling rope

## HECHT 000030

Covering tarp  
Available  
from 4/17



250 x 60 x 250 mm

diameter 300 cm material PE 90 g/m<sup>2</sup>

Drainage holes, pulling rope

## HECHT 300908

Solar shower

volume [l]	8
cylinder diameter [mm]	110
height [cm]	215


Available  
from 4/17



1210 x 150 x 150 mm

## HECHT 510501

children's inflatable whale



dimensions 170 x 87 cm for children aged 3+ years

wall thickness 0,22 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

230 x 195 x 70 mm

## HECHT 510503

children's inflatable orca



dimensions 190 x 76 cm for children aged 3+ years

wall thickness 0,25 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

230 x 195 x 70 mm

## HECHT 570109

hand airpump



height 30 cm,  
solid construction,  
three different attachments

## HECHT 20631

water gun

14 cm



## HECHT 20632

water gun

14 cm



## HECHT 20681

water gun

39 cm



## HECHT 20711

water gun

29 cm



POOLS

CHILDREN

# TOYS – INFLATABLE BOUNCERS

## HECHT 59236



The package of each bouncer includes inflating fan:

330 W for 59314, 59072;

450 W for 59236, 59112, 59160, 59271;

680 W for 59060, 59109.



A new attraction for your children! They can fully enjoy their favorite activities - jumping, sliding, crawling and to spent many hours of great fun and healthy exercise. Bouncy castles are suitable for children from age of 3 years. Bouncy castle sides are fitted with soft mesh security nets for the best safety of your children during play. Ground pins are provided for firm anchor of the castle to the ground. A big advantage is the minimal storage space needed - just simply deflate and fold. Bouncy castle is inflated within 1 minutes.



dimensions	350 x 210 x 200 cm	nr. of children	2
weight	17,6 kg	max. load	90 kg
Jumping part out of a highly durable laminated PVC, other parts of polyester. Included are ground pins, patches for repairing and a fan.			

**Not intended for: FR, A, D, H, GR, RO, UA, NL, B, IRL, P, DK.**



450 x 430 x 580 mm

www.hecht.cz

## HECHT 59072



**VOLLEYBALL NET INCLUDED**



dimensions	800 x 335 x 180 cm	number of children	10
weight	22,5 kg		
Inflatable part made from highly durable laminated PVC, other parts from polyester. Included are ground pins, patches for repairing and a fan.			



760 x 380 x 380 mm

# KIDS GARDEN TOOLS, PEDAL TRACTORS AND KARTS

## KIDS GARDEN TOOLS

PT406  
Mix children's equipment, 60 pieces, with sales box.



**KID'S SPADE**  
PT406-1



**KID'S SHOVEL**  
PT406-2



**KID'S RAKE**  
PT406-4



**KID'S RAKE**  
PT406-5



**KID'S HOE**  
PT406-6



**KID'S SHOVEL**  
PT406-7



**55202 SET OF GARDEN TOOLS FOR CHILDREN AND ADULTS**

**GIFT PACKAGE**



**8 pcs**



## HECHT 51312

Pedal tractor



775 x 430 x 330 mm

93 x 45 x 53 cm  
maximum load: 30 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 7,6 kg

## HECHT 51311

Pedal tractor

Available from 4/17



775 x 430 x 330 mm

85 x 45 x 53 cm  
maximum load: 25 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 6,8 kg

## HECHT 51413

Pedal tractor with trailer



775 x 430 x 470 mm

154 x 45 x 61 cm  
maximum load: 30 kg

Pedal tractor with chain drive.  
For children aged 3-6 years.  
weight: 10,2 kg

## HECHT 51412

Pedal tractor with trailer



775 x 430 x 390 mm

148 x 45 x 53 cm  
maximum load: 30 kg

Pedal tractor with trailer and chain drive.  
For children aged 3-6 years.  
weight: 9,2 kg

CHILDREN

# PEDAL AND ACCU CARS

## HECHT 59788

**Pedal kart**  
Available  
from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 10,2 kg

## HECHT 59789

**Pedal kart**  
Available  
from 5/17



900 x 280 x 610 mm

94 cm

63 cm

94 x 63 x 51 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 10,2 kg

## HECHT 50100

**Pedal kart**  
Available  
from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 15 kg

## HECHT 50200

**Pedal kart**  
Available  
from 5/17



1080 x 280 x 620 mm

106 cm

59 cm

106 x 59 x 65 cm

maximum load: 30 kg

Pedal kart with chain drive.  
For children aged 3-6 years.

weight: 15 kg

## HECHT 55128



1010 x 670 x 525 mm

112 cm

70 cm

112 x 70 x 74 cm

maximum load: 30 kg



battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h

For children aged 3-8 years. Sound effects, reverse, 2 motors.



# ACCU CARS

## BMW S1000RR-Grey

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

## BMW S1000RR-Red

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

## HECHT 51117

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

## HECHT 51119

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

## MINI HATCH-YELLOW

ORIGINAL LICENSED BMW



1110 x 600 x 330 mm



110 cm

62 cm

110 x 62 x 51 cm

battery 2x 6 V / 4 Ah, weight 14 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, remote control

## HECHT 56181



1170 x 610 x 380 mm



110 cm

73 cm

110 x 73 x 78 cm

battery (2x) 6 V / 7 Ah / 25 W, weight 17,5 kg, speed 3,2-6,8 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors.

# ACCUCARS

## HECHT 56186

10 AH



1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

## HECHT 56185

10 AH



1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

## VOLKSWAGEN GOLF A7 GTI-RED

ORIGINAL LICENSED  
VOLKSWAGEN



1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

## VOLKSWAGEN GOLF A7 GTI-WHITE

ORIGINAL LICENSED  
VOLKSWAGEN



1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

## HECHT 58587

+ GUN  
AS A GIFT



1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

## HECHT 58588

+ GUN  
AS A GIFT



1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control



118 cm  
74 cm  
1180 x 650 x 475 mm

118 x 74 x 75 cm

battery 2x 6 V / 10 Ah / 12 V, 30 W, weight 19 kg, speed 3-5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse

## MERCEDES BENZ GLK-CLASS - WHITE



**ORIGINAL  
LICENSED  
MERCEDES**



78 cm  
130 cm  
1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

## MERCEDES BENZ GLK-CLASS - RED



**ORIGINAL  
LICENSED  
MERCEDES**



130 cm  
78 cm  
1320 x 660 x 490 mm

130 x 78 x 58 cm

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

## HECHT 54812

Accu buggy for children



138 x 83 x 90 cm

battery 48 V, 12 Ah / 1000 W, speed max. 35 km/h

Wheels 13" x 5-6

138 cm

83 cm

# ACCU CHILDREN ATV - QUADS

**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 54800



**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 54801



- CZ
- SK
- PL
- GB
- HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain



- CZ
- SK
- PL
- GB
- HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

www.hecht.cz

**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 56800



**Speed and battery life depends on the terrain and the weight of the operator.**

**Max range 13-18 km**

**Charging time 8 hours**

## HECHT 56801



- CZ
- SK
- PL
- GB
- HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain



- CZ
- SK
- PL
- GB
- HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg


Safety pedal, battery indicator, three speed switch, horn, drive - chain

**ATV have a metal frame as classic motor-powered ATV, just the drive is electric and silent. This allows you to ride also at the places where you would disturb the others by operation the classic petrol ATV. Thus, children can go along with you in the park or a walk in the forest. You can select the mode max. 8 km/h, max 20 km/h or max. 35 km/h according to the skills of the child. Mode is selected by the key, after its removing the child cannot change it by itself.**

## CUBE B

(beige)

Suitable for kittens



## CUBE S

(grey)

Suitable for kittens



## GINGER B

(beige)

Suitable for kittens



## GINGER S

(grey)

Suitable for kittens



## GANDALF B

(beige)



325 x 325 x 310 mm

325 x 325 x 310 mm

310 x 310 x 330 mm

310 x 310 x 330 mm

520 x 520 x 350 mm


## ALEX B

(beige)



## ALEX S

(grey)



570 x 570 315 mm

570 x 570 315 mm

## GARFIELD B


(beige)



710 x 620 x 440 mm

## GARFIELD S

(grey)



710 x 620 x 440 mm

## ROSE

Material: flax



## SINDY

Material: suede



L x W x H [cm]

<b>ROSE S</b> (Nr.: ROSE S)	60 x 40 x 16
<b>ROSE M</b> (Nr.: ROSE M)	75 x 50 x 16

L x W x H [cm]

<b>SINDY L</b> (Nr.: SINDY L)	90 x 60 x 18
<b>SINDY XL</b> (Nr.: SINDY XL)	105 x 70 x 20

## SULTAN

Material: flax, corduroy



L x W x H [cm]

<b>SULTAN M</b> (Nr.: SULTAN M)	75 x 50 x 16
<b>SULTAN L</b> (Nr.: SULTAN L)	90 x 60 x 18
<b>SULTAN XL</b> (Nr.: SULTAN XL)	105 x 70 x 20

## LORD

Material: corduroy, cotton



L x W x H [cm]

<b>LORD S</b> (Nr.: LORD S)	60 x 40 x 16
<b>LORD M</b> (Nr.: LORD M)	75 x 50 x 16
<b>LORD L</b> (Nr.: LORD L)	90 x 60 x 18
<b>LORD XL</b> (Nr.: LORD XL)	105 x 70 x 20

## AGATHA

Material: flax, long plush



L x W x H [cm]

<b>AGATHA S</b> (Nr.: AGATHA S)	50 x 50 x 20
<b>AGATHA M</b> (Nr.: AGATHA M)	70 x 70 x 20
<b>AGATHA L</b> (Nr.: AGATHA L)	90 x 90 x 20

## MIKE SD / MIKE L

112 x 96 x 105 cm

88 x 78 x 81 cm



Air ventilation



930 x 665 x 130 mm / 1120 x 810 x 170 mm

doghouse

plastic door

insulation

doghouse S	MIKE SD	PLD-MIKES	ISO-MIKES
doghouse L	MIKE L	PLD-MIKEL	ISO-1201L

www.hecht.cz

## HOLIDAY

Made from durable wood



98 x 50 x 41 cm

1030 x 480 x 75 mm

## BUNNY

Made from durable wood



111,5 x 45 x 92 cm

1140 x 475 x 175 mm

**MICKEY**

Made from durable wood



91,5 x 45 x 70 cm


 935 x 460 x 137 mm

**000022**

Suitable for Oliver

Made from durable wood



 1455 x 525 x 171 mm

**TWEETY**

Made from durable wood



201 x 68 x 102 cm


 1730 x 780 x 110 mm

**CLAUDIE**

Made from durable wood



180 x 90 x 48 cm


 1820 x 490 x 117 mm

**OLIVER**

Made from durable wood



134 x 90 x 99 cm


 982 x 976 x 219 mm

**OREO**

Made from durable wood




195 x 73 x 98 cm

 2 BOXES: 650 x 635 x 131 mm, 955 x 635 x 107 mm

# BRAND **HECHT**<sup>®</sup> IN EUROPE

made for garden



HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: +420 323 661 347, fax: +420 323 661 348, WWW.HECHT.CZ

HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: +421 46 542 03 20, WWW.HECHT.SK

HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: +48 957 117 140 WWW.HECHTPOLSKA.PL

HECHT HUNGARY Kft., II. Rákoczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/951 4525, WWW.HECHT.HU

Descriptions, pictures and specifications may vary at time of shipping. Weights of chainsaws are stated without cutting accessories. Edition: January 2017  
Product images are for illustrative purposes only. Real product and accessories may vary.

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

FAX: 800 100 247

2 000000 003740





## **ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:**

[storgom.ua](http://storgom.ua)

## **ГРАФИК РАБОТЫ:**

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

## **КОНТАКТЫ:**

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/izmelchitel-vetok-hecht-626-silent.html>

Другие товары: <https://storgom.ua/izmelchiteli-vetok.html>